

\$1.50 CAN.



# FACTORY-DIRECT CATALOG



**Free Shipping** on Orders of \$130 or More. See page 3 for details.

**TO ORDER:** 1-800-777-7094 MONDAY – FRIDAY 7 A.M. – 7 P.M. CT | **AMSOIL.ca**



## Product Index

Motor Oil	4
European Motor Oil	8
Classic/Collector Car Motor Oil	10
Racing Oil	11
Diesel Oil	12
Briggs & Stratton Synthetic 4T Racing Oil/Oil Analysis	15
ATV/UTV Oil/Snowmobile Oil	16
Dirt Bike Oil	18
Suspension Fluid	19
Motorcycle Oil	20
Marine Oil	22
2-Stroke Oil	24
Chaincase & Gear Oil	25
Small-Engine Oil	26
Transmission Fluid	27
Gear Lube	31
Filters	34
Grease	36
Air Tool Oil	38
Bar and Chain Oil/ Compressor Oil/Fuel Additives	39
Engine and Transmission Flush	44
Metal Protector/Coolant/ Coolant Boost	45
Firearm Lubricant/Power Steering Fluid	46
Aftermarket Partners	47

\*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



All AMSOIL lubricants and filters are covered by the AMSOIL Limited Warranty. For details visit [AMSOIL.com/warranty.aspx](https://www.amsoil.com/warranty.aspx).



# Power Big Savings with Preferred Customer Membership

## Preferred Customers Enjoy



### Reduced Pricing

Up to 25% off every order



### Free Shipping

On orders over \$130



### \$5 Back

Get a \$5 coupon with every \$100 you spend\*



### Free Membership

When you spend \$500 in a year



### Birthday Gift

Celebrate your day with \$5 off\*



### Exclusive Promotions

Throughout the year

Plus, you will receive the quarterly *AMSOIL Magazine* with the latest product details, technical information and complete product catalog.

**Six-month trial membership just \$15.**  
**Full year of membership for just \$30.**

Sign up at [AMSOIL.ca/pc](https://AMSOIL.ca/pc) today and use this referral number. ▼

Referral # \_\_\_\_\_

\*Effective June 27, 2022, instead of a \$5 coupon, Canadian Preferred Customers will receive a coupon for 5% off their next order (up to a \$5 value). See Preferred Customer Program terms & conditions at [AMSOIL.ca/pc](https://AMSOIL.ca/pc).

## TECHNICAL QUESTIONS

(715) 399-8324 (TECH) or  
[tech@AMSOIL.com](mailto:tech@AMSOIL.com)

## SHIPPING AND HANDLING

Free shipping on orders of \$130 or more. Orders below that threshold pay a flat shipping rate of \$12.99. Exclusions apply. See the shipping & handling policy at [AMSOIL.ca/storefront/shippinginformation.aspx](https://AMSOIL.ca/storefront/shippinginformation.aspx).

## PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-777-7094 for instructions.

## SALES TAX INFORMATION

AMSOIL INC. has an established sales tax rate for each province.

## NOTE:

A General Sales Tax (GST) of 5% will be charged on all Canadian purchases. Only provincial governments are exempt. GST will be charged on the purchase price and the freight costs. In the provinces of Quebec, Prince Edward Island and New Brunswick the provincial sales tax will be charged on the GST. Freight charges are subject to sales tax on all orders.



*Prices subject to change without notice.*

# WHY BUY SIGNATURE SERIES?

## Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test<sup>P</sup>. AMSOIL provided far superior wear protection and kept bearings looking like new.

<sup>P</sup>Testing conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.



## AMSOIL Resists Viscosity Increase


AMSOIL is barely challenged by the industry-standard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, AMSOIL delivered **twice the viscosity control** required by the standard.<sup>GG</sup>

<sup>GG</sup>Based on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIHH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.

## AMSOIL Helps Keep Engines Cleaner

AMSOIL Signature Series is fortified with a heavy treatment of detergent additives, delivering **28 percent more acid-neutralizing power than Mobil 1\*** and helping engines stay cleaner, longer.<sup>LL</sup>

<sup>LL</sup>Based upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased July 2020.



## Signature Series Helps Keep Valves Clean

AMSOIL fights volatility<sup>U</sup> **38% better** than Mobil 1 and **17% better** than Royal Purple,\* helping reduce oil consumption and keep valves clean.

<sup>U</sup>Based on independent testing of AMSOIL Signature Series Synthetic 5W-20, Mobil 1 Advanced Synthetic 5W-20, Royal Purple High Performance Synthetic 5W-20 in ASTM D5800. Oils purchased Oct.-Nov. 2018.

## Signature Series Protects Against LSPI

AMSOIL Synthetic Motor Oils achieved **100% protection** against LSPI.<sup>B</sup>

<sup>B</sup>Based on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

## Signature Series Guards Turbos

Protects turbochargers **72% better** than required<sup>C</sup> by the GM dexos1<sup>®</sup> Gen 2 specification.

<sup>C</sup>Based on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

## Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents<sup>D</sup> to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge.<sup>DD</sup>

<sup>DD</sup>vs. AMSOIL OE Motor Oil<sup>DD</sup>Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the API SN specification.



## Signature Series Fights Wear 75% more engine protection

against horsepower loss and wear.<sup>A</sup>

<sup>A</sup>Based on independent testing of AMSOIL Signature Series 0W-20 using the ASTM D6891 standard test.

*AMSIL*  
**SIGNATURE SERIES**

## SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry standards. Guaranteed protection for up to 40,200 kilometers or 1 year, whichever comes first.



### ● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASMQTC	EA	(1) 946-ml Bottle	16.09	19.59
ASMQTC	CA	(12) 946-ml Bottles	182.35	233.40
ASM1GC	EA	(1) 3.78-litre Bottle	62.09	75.69
ASM1GC	CA	(4) 3.78-litre Bottles	235.30	301.20

### ● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ALMQTC	EA	(1) 946-ml Bottle	16.09	19.59
ALMQTC	CA	(12) 946-ml Bottles	182.35	233.40
ALM1GC	EA	(1) 3.78-litre Bottle	62.09	75.69
ALM1GC	CA	(4) 3.78-litre Bottles	235.30	301.20

### ● 0W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZQTC	EA	(1) 946-ml Bottle	16.09	19.59
AZQTC	CA	(12) 946-ml Bottles	182.35	233.40

### ● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASLQTC	EA	(1) 946-ml Bottle	16.09	19.59
ASLQTC	CA	(12) 946-ml Bottles	182.35	233.40
ASL1GC	EA	(1) 3.78-litre Bottle	62.09	75.69
ASL1GC	CA	(4) 3.78-litre Bottles	235.30	301.20

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATMQTC	EA	(1) 946-ml Bottle	16.09	19.59
ATMQTC	CA	(12) 946-ml Bottles	182.35	233.40

### ● 0W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AZFQTC	EA	(1) 946-ml Bottle	16.09	19.59
AZFQTC	CA	(12) 946-ml Bottles	182.35	233.40

### ○ 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMRQTC	EA	(1) 946-ml Bottle	16.09	19.59
AMRQTC	CA	(12) 946-ml Bottles	182.35	233.40



<sup>A</sup>Based on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation.

# XL

## BOOSTED ENGINE PROTECTION AND PERFORMANCE

XLZ

XLM

XLF

XLT

XLO



For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. **Provides 64% more protection against oil breakdown<sup>f</sup> than required by the GM dexos1<sup>®</sup> Gen 2 specification.** Extra protection that lasts up to 19,300 kilometers or 1 year, whichever comes first.

### ● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLZQTC	EA	(1) 946-ml Bottle	13.09	15.89
XLZQTC	CA	(12) 946-ml Bottles	148.15	189.60
XLZ1GC	EA	(1) 3.78-litre Bottle	50.99	62.19
XLZ1GC	CA	(4) 3.78-litre Bottles	193.10	247.20

### ● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLMQTC	EA	(1) 946-ml Bottle	13.09	15.89
XLMQTC	CA	(12) 946-ml Bottles	148.15	189.60
XLM1GC	EA	(1) 3.78-litre Bottle	50.99	62.19
XLM1GC	CA	(4) 3.78-litre Bottles	193.10	247.20

### ● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLFQTC	EA	(1) 946-ml Bottle	13.09	15.89
XLFQTC	CA	(12) 946-ml Bottles	148.15	189.60
XLF1GC	EA	(1) 3.78-litre Bottle	50.99	62.19
XLF1GC	CA	(4) 3.78-litre Bottles	193.10	247.20

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLTQTC	EA	(1) 946-ml Bottle	13.09	15.89
XLTQTC	CA	(12) 946-ml Bottles	148.15	189.60

### ○ 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
XLOQT	EA	(1) 946-ml Bottle	13.09	15.89
XLOQT	CA	(12) 946-ml Bottles	148.15	189.60

"Put this in my light duty, full size pickup. Noticeable difference right away. Engine quieter and clean."

— Jim P  
Northern VA

<sup>f</sup>Based on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.



## ADVANCED ENGINE PROTECTION

OES

OEZ

OEM

OEF

OET



Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47 percent more wear protection.<sup>6</sup>** Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

### ● 0W-16

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OESQT	EA	(1) 946-ml Bottle	9.99	12.19
OESQT	CA	(12) 946-ml Bottles	112.70	144.60

### ● 0W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEZQTC	EA	(1) 946-ml Bottle	9.99	12.19
OEZQTC	CA	(12) 946-ml Bottles	112.70	144.60
OEZ1GC	EA	(1) 3.78-litre Bottle	38.59	47.19
OEZ1GC	CA	(4) 3.78-litre Bottles	146.05	187.00

### ● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEMQTC	EA	(1) 946-ml Bottle	9.99	12.19
OEMQTC	CA	(12) 946-ml Bottles	112.70	144.60
OEM1GC	EA	(1) 3.78-litre Bottle	38.59	47.19
OEM1GC	CA	(4) 3.78-litre Bottles	146.05	187.00

### ● 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OEFQTC	EA	(1) 946-ml Bottle	9.99	12.19
OEFQTC	CA	(12) 946-ml Bottles	112.70	144.60
OEF1GC	EA	(1) 3.78-litre Bottle	38.59	47.19
OEF1GC	CA	(4) 3.78-litre Bottles	146.05	187.00

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OETQTC	EA	(1) 946-ml Bottle	9.99	12.19
OETQTC	CA	(12) 946-ml Bottles	112.70	144.60

### Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits 946-ml and 3.78-litre bottles.

STOCK#	P.C. PRICE	FULL PRICE
G1230	1.05	1.25



<sup>6</sup>Based on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.



# PREMIUM PROTECTION FOR EUROPEAN VEHICLES

## Emissions System Protection

AMSOIL Synthetic European Motor Oil features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

## Synthetic European Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- **Outstanding** All-Season Performance
- **Engineered** for Maximum Fuel Economy
- **Enhanced** Turbocharger Protection

"My engine sounds better than it ever has. My BMW\* has 70,000+ miles and has never sounded this good or smooth. You can tell a lot about engines just from the sound and this baby is purring like I've never heard it purr. I am very pleased and glad I made the switch to AMSOIL."

– **Tom**  
*Atlanta, Ga.*

# EUROPEAN MOTOR OIL



## ● 0W-20 LS-VW Synthetic European Motor Oil

API SN-PLUS, SN... • ACEA C5 • VW 508.00/509.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EZTQT	EA	(1) 946-ml Bottle	15.49	18.89
EZTQT	CA	(12) 946-ml Bottles	175.35	225.00

## ● 0W-20 LS Synthetic European Motor Oil

API SN-PLUS (Resource Conserving), SN, SM... • ILSAC GF-5 • ACEA C5, A1/B1 • BMW LL-17FE+ • MB 229.71 • Ford WSS-M2C947-B1 • Opel/Vauxhall OV0401547 • Fiat 9.55535-GSX • Chrysler MS-12145 • Volvo VCC RBS0-2AE

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFEQT	EA	(1) 946-ml Bottle	14.49	17.69
AFEQT	CA	(12) 946-ml Bottles	164.60	211.20

## ● 0W-40 FS Synthetic European Motor Oil

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710, 0700 • VW/Audi 502.00/505.00

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFOQT	EA	(1) 946-ml Bottle	14.39	17.59
EFOQT	CA	(12) 946-ml Bottles	163.35	209.40

## ● 5W-30 LS Synthetic European Motor Oil

Manufacturer Approvals: VW 504.00/507.00

Use in vehicles that require API SN • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 • Porsche C30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AELQTC	EA	(1) 946-ml Bottle	17.89	21.79
AELQTC	CA	(12) 946-ml Bottles	203.20	260.40

## ● 5W-40 MS Synthetic European Motor Oil

Manufacturer Approvals: MB-Approval 229.51

• Porsche A40  
Use in vehicles that require ACEA C3 • API SN/SM/CF... • BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault RN0700/RN0710 • VW/Audi 502.00/505.01

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFLQTC	EA	(1) 946-ml Bottle	15.29	18.59
AFLQTC	CA	(12) 946-ml Bottles	173.45	222.00
AFL1GC	EA	(1) 3.78-litre Bottle	59.19	72.19
AFL1GC	CA	(4) 3.78-litre Bottles	224.30	287.20

## ○ 5W-40 FS Synthetic European Motor Oil

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW/Audi 502.00/505.00

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/SM... • BMW LL-01 • Renault 0710, 0700

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EFMQTC	EA	(1) 946-ml Bottle	11.89	14.49
EFMQTC	CA	(12) 946-ml Bottles	134.85	172.80
EFM1GC	EA	(1) 3.78-litre Bottle	46.09	56.29
EFM1GC	CA	(4) 3.78-litre Bottles	174.50	223.40

# BUILD IT.

# CRUISE IT.



## ● Assembly Lube

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EALTB	EA	(1) 118-ml Tube	10.89	13.59
EALTB	CA	(12) 118-ml Tubes	123.45	162.00

## ● Break-In Oil

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BRKQTC	EA	(1) 946-ml Bottle	11.69	14.29
BRKQTC	CA	(12) 946-ml Bottles	132.95	170.40

## Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRTQTC	EA	(1) 946-ml Bottle	14.99	18.19
ZRTQTC	CA	(12) 946-ml Bottles	169.65	217.20

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRDQT	EA	(1) 946-ml Bottle	14.99	18.19
ZRDQT	CA	(12) 946-ml Bottles	169.65	217.20

### ● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ZRFQTC	EA	(1) 946-ml Bottle	18.09	21.99
ZRFQTC	CA	(12) 946-ml Bottles	205.10	262.80



# CARLISLE®

*Events*

## AMSOIL Delivers Superior Rust Protection

Competing Brand



In industry-standard testing, AMSOIL Z-ROD® completely prevented rust formation while a leading competitor did not.<sup>44</sup>

<sup>44</sup>Based upon in-house testing of AMSOIL Z-ROD 10W-40 and a leading competitor obtained on 7/25/2019 in ASTM D1748-10.



# RACE IT.

**PRODUCTS  
THE  
PROS USE**



"AMSOIL products are the best on the market and definitely give us an added performance factor."

**Bryce Menzies**  
Professional Off-Road Driver

## DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

### ● 5W-20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD20QT	EA	(1) 946-ml Bottle	18.39	22.39
RD20QT	CA	(12) 946-ml Bottles	208.90	267.60

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD30QT	EA	(1) 946-ml Bottle	17.79	21.69
RD30QT	CA	(12) 946-ml Bottles	201.95	258.60

### ● 15W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD50QT	EA	(1) 946-ml Bottle	18.59	22.59
RD50QT	CA	(12) 946-ml Bottles	210.80	270.00

### ● SAE 60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RD60QT	EA	(1) 946-ml Bottle	19.09	23.29
RD60QT	CA	(12) 946-ml Bottles	217.15	278.40



# AMSOIL Fights Wear

AMSOIL delivers **powerful engine protection**. How good is it? In third-party testing compared to a leading brand, AMSOIL provided long-lasting wear protection, **keeping cylinder liners looking like new.**<sup>DD</sup>



<sup>DD</sup>Based on third-party testing of AMSOIL 5W-30 Signature Series Max-Duty Synthetic Diesel Oil and a leading conventional 15W-40 diesel oil using the Detroit Diesel® DD13 Scuffing test for specification DFS 93K222. <sup>DD</sup>All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

## Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

The top tier of AMSOIL protection and performance for diesel engines. Provides 6X more engine protection.<sup>1</sup> Delivers up to 60% better turbo cleanliness<sup>1</sup> and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.<sup>K</sup>

### 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DHDQT	EA	(1) 946-ml Bottle	15.39	18.79
DHDQT	CA	(12) 946-ml Bottles	174.75	223.80
DHD1G	EA	(1) 3.78-litre Bottle	60.29	73.49
DHD1G	CA	(4) 3.78-litre Bottles	228.35	292.20

### 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DTT1GC	EA	(1) 3.78-litre Bottle	60.19	73.39
DTT1GC	CA	(4) 3.78-litre Bottles	227.90	291.80

### 0W-40

Delivers 4X better cold-temperature performance<sup>EE</sup>

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DZFTQ	EA	(1) 946-ml Bottle	15.29	18.59
DZFTQ	CA	(12) 946-ml Bottles	173.45	222.00
DZF1GC	EA	(1) 3.78-litre Bottle	59.69	72.79
DZF1GC	CA	(4) 3.78-litre Bottles	226.00	289.40



DZF



### 5W-40


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQTC	EA	(1) 946-ml Bottle	15.09	18.39
DMEQTC	CA	(12) 946-ml Bottles	171.55	219.60
DEO1GC	EA	(1) 3.78-litre Bottle	58.89	71.79
DEO1GC	CA	(4) 3.78-litre Bottles	223.05	285.60
DEOTPC	EA	(1) 9.45-litre Bottle	145.45	174.80
DEOTPC	CA	(2) 9.45-litre Bottles	275.70	347.60

### 15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DMEQTC	EA	(1) 946-ml Bottle	14.79	17.99
DMEQTC	CA	(12) 946-ml Bottles	167.75	214.80
DME1GC	EA	(1) 3.78-litre Bottle	57.69	70.39
DME1GC	CA	(4) 3.78-litre Bottles	218.60	279.80
DMETPC	EA	(1) 9.45-litre Bottle	142.45	171.20
DMETPC	CA	(2) 9.45-litre Bottles	270.00	340.40

<sup>1</sup>Based on specification standards of CAT C13 2nd Ring Top Land Carbon testing. <sup>K</sup>Based on industry standard testing using the NMMA FC-W Rust Test. <sup>EE</sup>than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 5W-30 as worst-case representation.

<sup>DD</sup>When compared to SAE 15W-40 in ASTM D5293 Cold Cranking Viscosity Test.



MASTER SHOCK

ADN

## Heavy-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

Outstanding protection and performance for customers seeking an upgrade over conventional and other synthetic diesel oils. Provides 4X more engine protection.<sup>1</sup> Provides up to 66% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test.

ADO



ADP



### 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADNQTG	EA	(1) 946-ml Bottle	10.39	12.69
ADNQTG	CA	(12) 946-ml Bottles	117.75	151.20
ADNTPC	EA	(1) 9.45-litre Bottle	98.70	118.95
ADNTPC	CA	(2) 9.45-litre Bottles	187.10	235.90

### 5W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADOQTC	EA	(1) 946-ml Bottle	10.89	13.29
ADOQTC	CA	(12) 946-ml Bottles	123.45	158.40
ADP1GC	EA	(1) 3.78-litre Bottle	41.99	51.29
ADP1GC	CA	(4) 3.78-litre Bottles	159.10	203.60
ADOTPC	EA	(1) 9.45-litre Bottle	103.20	124.30
ADOTPC	CA	(2) 9.45-litre Bottles	195.60	246.60

### 15W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADPQTC	EA	(1) 946-ml Bottle	10.39	12.69
ADPQTC	CA	(12) 946-ml Bottles	117.75	151.20
ADP1GC	EA	(1) 3.78-litre Bottle	40.19	49.19
ADP1GC	CA	(4) 3.78-litre Bottles	152.35	195.00
ADPTPC	EA	(1) 9.45-litre Bottle	98.65	118.90
ADPTPC	CA	(2) 9.45-litre Bottles	186.95	235.80

<sup>1</sup>than required by the Detroit Diesel DD13 Scuffing Test for Specification DFS 93K222 using 10W-30 as worst-case representation.





## 100% Synthetic Diesel Oil

Provides outstanding protection, performance and fuel economy for smaller American diesel pickups, vans, cars and SUVs. Delivers up to 6X better wear protection than required by a leading industry standard.<sup>1</sup>

### ● 0W-20

Use in vehicles that require GM dexosD

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP020QTC	EA	(1) 946-ml Bottle	13.69	16.79
DP020QTC	CA	(12) 946-ml Bottles	155.75	199.80

### ● 5W-30

Use in vehicles that require GM dexosD, dexos2 • Chrysler MS-11106

• Ford WSS-M2C214-B1 • ACEA C3

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DP530QTC	EA	(1) 946-ml Bottle	13.59	16.59
DP530QTC	CA	(12) 946-ml Bottles	154.50	198.00

Discontinued and available while supplies last.

For a serious upgrade, try Signature Series Max-Duty 5W-30. See page 12.



## CI-4+ Synthetic Diesel Oils

Provide outstanding protection for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

### ● Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDDQTC	EA	(1) 946-ml Bottle	16.79	20.49
HDDQTC	CA	(12) 946-ml Bottles	190.55	244.20
HDD1GC	EA	(1) 3.78-litre Bottle	65.19	79.49
HDD1GC	CA	(4) 3.78-litre Bottles	247.10	316.40



### ● 15W-40 Synthetic Heavy Duty Diesel and Marine Oil

Use in vehicles that require API CI-4+

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMEQTC	EA	(1) 946-ml Bottle	15.49	18.89
AMEQTC	CA	(12) 946-ml Bottles	176.00	225.60
AME1GC	EA	(1) 3.78-litre Bottle	60.49	73.79
AME1GC	CA	(4) 3.78-litre Bottles	229.15	293.40
AMETPC	EA	(1) 9.45-litre Bottle	149.50	179.65
AMETPC	CA	(2) 9.45-litre Bottles	283.40	357.30

<sup>1</sup>Based on third-party testing in the OM646LA cam wear test using 0W-20 as worst-case representation.

## Like Heavy Duty Diesel and Marine Oil?

Try Signature Series Max-Duty 15W-40 for a serious upgrade. See page 12.

AMO



ARO



## Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AMOQTC	EA	(1) 946-ml Bottle	15.39	18.79
AMOQTC	CA	(12) 946-ml Bottles	174.75	223.80

### ● 20W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AROQTC	EA	(1) 946-ml Bottle	16.19	19.69
AROQTC	CA	(12) 946-ml Bottles	183.60	235.20

GBS2960



## Briggs & Stratton Synthetic 4T Racing Oil

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GBS2960	EA	(1) 946-ml Bottle	14.95	19.94
GBS2960	CA	(12) 946-ml Bottles	179.40	239.32

## Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit [www.oiltesting.com](http://www.oiltesting.com).

STOCK#	PKG./SIZE	P.C. PRICE	FULL PRICE
KIT401	1 sample kit (UPS Paid)	52.05	62.00
KIT402	1 sample kit	32.45	38.70
G1206	Oil Suction Pump w/10-ft. hose	34.65	36.65
G1571	Replacement Hose 25-ft.	11.00	11.50

**Oil Analyzers**  
INC.



## SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV40QTC	EA	(1) 946-ml Bottle	16.19	21.29
AUV40QTC	CA	(12) 946-ml Bottles	184.25	253.80

### ● 5W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUV50QTC	EA	(1) 946-ml Bottle	16.09	20.99
AUV50QTC	CA	(12) 946-ml Bottles	182.35	250.80

AUV40

AUV50



## Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AFFQTC	EA	(1) 946-ml Bottle	17.49	21.29
AFFQTC	CA	(12) 946-ml Bottles	198.80	254.40





## ● Synthetic ATV/UTV Transmission & Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUDTQTC	EA	(1) 946-ml Bottle	18.09	22.89
AUDTQTC	CA	(12) 946-ml Bottles	205.75	273.60
AUDTPK	EA	(1) 946-ml Easy-Pack	20.39	25.69
AUDTPK	CA	(12) 946-ml Easy-Packs	231.05	307.20

## ● Synthetic ATV/UTV Powertrain Fluid


Purpose-built for transmission/differentials and front drives in Polaris\* ATVs and UTVs, offering the perfect combination of protection and convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AUPTPK	EA	(1) 946-ml Easy-Pack	18.99	23.99
AUPTPK	CA	(12) 946-ml Easy-Packs	215.90	286.80

## ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris\* and Can-Am\* UTVs and ATVs. Call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PK1C	EA	1 kit	52.70	67.50
PK2C	EA	1 kit	46.65	59.75
PK3C	EA	1 kit	43.95	56.25
CK1C	EA	1 kit	83.05	106.30
CK2C	EA	1 kit	64.60	82.70
CK3C	EA	1 kit	80.55	103.15





## SYNTHETIC DIRT BIKE OIL

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

### 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB40QTC	EA	(1) 946-ml Bottle	16.69	21.79
DB40QTC	CA	(12) 946-ml Bottles	189.30	260.40

### 10W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB50QTC	EA	(1) 946-ml Bottle	18.69	24.49
DB50QTC	CA	(12) 946-ml Bottles	212.70	292.80

### 10W-60

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DB60QT	EA	(1) 946-ml Bottle	19.39	25.29
DB60QT	CA	(12) 946-ml Bottles	219.70	302.40

DB40



DB50



DB60








# SWAP MOTO

RACE SERIES

## AMSOIL delivers confident clutch feel.

AMSOIL provides excellent clutch protection<sup>7</sup>. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.



<sup>7</sup>Based on dyno testing of a Honda CRF450 dirt bike using AMSOIL 10W-40 Synthetic Dirt Bike Oil and a leading original equipment manufacturer 10W-40 conventional dirt bike oil.



## ● Synthetic Dirt Bike Transmission Fluid

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DBTFQT	EA	(1) 946-ml Bottle	15.09	19.69
DBTFQT	CA	(12) 946-ml Bottles	170.95	235.20

## SHOCK THERAPY® SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

### ● Lightweight #5

Use in applications that demand quick rebounds under extreme temperatures.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STLQT	EA	(1) 946-ml Bottle	19.49	23.69
STLQT	CA	(12) 946-ml Bottles	220.95	283.20

### ● Medium #10

Use in applications that require more dampening and slower rebounds.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
STMQT	EA	(1) 946-ml Bottle	19.59	23.79
STMQT	CA	(12) 946-ml Bottles	222.20	284.40






## AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown **6X better** than Harley-Davidson\* SYN3\* for **improved protection** against compensator and transmission gear wear.<sup>9B</sup>

### Viscosity Breakdown

% viscosity loss in the CEC L45-KRL, ASTM D445, test



<sup>9B</sup>Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil purchased on 3/19/19 and Harley-Davidson Screamin' Eagle SYN3 purchased on 3/19/19 in the CEC L45-KRL, ASTM D445 test. All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



## SYNTHETIC V-TWIN MOTORCYCLE OIL

### ● 20W-50

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson\*, Buell\* and other motorcycle engines, primaries and transmissions.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCVQTC	EA	(1) 946-ml Bottle	16.99	20.69
MCVQTC	CA	(12) 946-ml Bottles	192.45	246.60
MCV1GC	EA	(1) 3.78-litre Bottle	66.69	81.29
MCV1GC	CA	(4) 3.78-litre Bottles	252.60	323.40

### ● SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead, Shovelhead and Knucklehead.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCSQT	EA	(1) 946-ml Bottle	18.39	22.39
MCSQT	CA	(12) 946-ml Bottles	208.30	267.00

### ● 20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian\* and Victory\* motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVIQTC	EA	(1) 946-ml Bottle	16.89	20.59
MVIQTC	CA	(12) 946-ml Bottles	191.80	246.00

### ● 15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MSVQT	EA	(1) 946-ml Bottle	19.39	24.39
MSVQT	CA	(12) 946-ml Bottles	219.70	291.60



MVT



## ● Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVTQTC	EA	(1) 946-ml Bottle	19.69	24.89
MVTQTC	CA	(12) 946-ml Bottles	223.45	297.00

## ● Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MVPQTC	EA	(1) 946-ml Bottle	16.49	20.79
MVPQTC	CA	(12) 946-ml Bottles	186.75	248.40

MVP



## SYNTHETIC METRIC MOTORCYCLE OIL

### ● 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am\*, Honda\*, Yamaha\*, Kawasaki\*, Triumph\*, Suzuki\*, BMW\* and other motorcycle engines.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCFQTC	EA	(1) 946-ml Bottle	16.89	20.49
MCFQTC	CA	(12) 946-ml Bottles	191.20	244.80
MCF1GC	EA	(1) 3.78-litre Bottle	65.69	79.99
MCF1GC	CA	(4) 3.78-litre Bottles	248.80	318.40

### ● 10W-30

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MCTQT	EA	(1) 946-ml Bottle	17.39	21.09
MCTQT	CA	(12) 946-ml Bottles	196.90	252.00

### ● 15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati\*, BMW, KTM\*, Yamaha, Triumph and Royal Enfield\* motorcycles.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MFFQT	EA	(1) 946-ml Bottle	19.39	24.49
MFFQT	CA	(12) 946-ml Bottles	220.30	292.80

MCT



MCF



MFF



HDCK



## V-Twin Oil Change Kits

Contains everything needed to perform an oil change on most Harley-Davidson\* motorcycles, including 20W-50 Synthetic V-Twin Motorcycle Oil, AMSOIL Motorcycle Oil Filter and O-ring.

STOCK #	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HDCK	EA	1 kit	91.05	116.55
HDBK	EA	1 kit	86.65	110.90
HDMC	EA	1 kit	107.70	137.80
HDMB	EA	1 kit	103.35	132.30

### FITMENT INFO:

**HDCK, HDBK:** most 1999-2016 Harley-Davidson motorcycles (HDCK includes chrome filter; HDBK includes black filter)

**HDMC, HDMB:** most 2017-present Harley-Davidson motorcycles (HDMC includes chrome filter; HDMB includes black filter)





- Outboard • Inboard
- Inboard/Outboard (I/O) • Watercraft

## Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCTQTC	EA	(1) 946-ml Bottle	14.99	18.29
WCTQTC	CA	(12) 946-ml Bottles	170.30	218.40

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCFQTC	EA	(1) 946-ml Bottle	16.39	19.89
WCFQTC	CA	(12) 946-ml Bottles	185.50	237.60

### ● 25W-40 (Synthetic Blend)

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
WCMQTC	EA	(1) 946-ml Bottle	12.99	16.19
WCMQTC	CA	(12) 946-ml Bottles	147.50	193.20



## ● HP Marine™ Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
HPMQTC	EA	(1) 946-ml Bottle	13.99	17.09
HPMQTC	CA	(12) 946-ml Bottles	158.90	203.40
HPM1GC	EA	(1) 3.78-litre Bottle	53.89	65.79
HPM1GC	CA	(4) 3.78-litre Bottles	204.25	261.60



Pete Maina  
Pro Fisherman



### RUNS ON FREEDOM

Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at [AMSOIL.ca/freedom](http://AMSOIL.ca/freedom).



**OUTSTANDING  
PROTECTION  
FOR LOWER UNITS**



## ● Universal Synthetic Marine Gear Lube

Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination.<sup>†</sup> Choose the easy-pack for fast, easy installation.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGMTB	EA	(1) 296-ml Tube	9.69	11.99
AGMTB	CA	(6) 296-ml Tubes	54.80	71.70
AGMQTC	EA	(1) 946-ml Bottle	17.69	21.59
AGMQTC	CA	(12) 946-ml Bottles	201.30	258.00
AGMPK	EA	(1) 946-ml Easy-Pack	19.99	24.29
AGMPK	CA	(12) 946-ml Easy-Packs	226.65	290.40



## Marine Gear Lube Pump

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK #	P.C. PRICE	FULL PRICE
G3456	13.40	14.05



Midwest Fishing Report

**AMSOIL**

[www.amsoil.com/mfr](http://www.amsoil.com/mfr)

<sup>†</sup>Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



## Runs On Freedom™

### Limited Snowmobile Warranty

Use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively in your current-model-year or newer sled and we'll cover engine repairs in the unlikely event of any engine breakdown for up to two years/8,000 km.\*

\*To get details and register, visit [AMSOIL.ca/rof/warranty](http://AMSOIL.ca/rof/warranty).

## ● Synthetic 2-Stroke Injector Oil

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIOQTC	EA	(1) 946-ml Bottle	12.89	16.09
AIOQTC	CA	(12) 946-ml Bottles	146.25	192.00
AIO1GC	EA	(1) 3.78-litre Bottle	49.89	62.39
AIO1GC	CA	(4) 3.78-litre Bottles	189.10	248.00



## ● INTERCEPTOR® Synthetic 2-Stroke Oil

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AITQTC	EA	(1) 946-ml Bottle	16.39	19.89
AITQTC	CA	(12) 946-ml Bottles	185.50	237.60
AIT1GC	EA	(1) 3.78-litre Bottle	63.19	77.09
AIT1GC	CA	(4) 3.78-litre Bottles	239.50	306.60

Meets the performance requirements of Polaris®, Arctic Cat® and Ski-Doo® two-stroke snowmobiles.

## AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered **outstanding wear protection and cleanliness** in a rental sled throughout 1,617 miles (2,602 km) of abuse.<sup>CC</sup>

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.



AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.



<sup>CC</sup>Based upon use of a new 2019 Polaris® RMK® 850 as a rental sled at Grizzly Lodge December 2018 - February 2019. \*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

TDR

**Hunter Patenaude**  
Team AMSOIL  
Scheuring Speed Sports



## ● **DOMINATOR® Synthetic 2-Stroke Racing Oil**

Delivers outstanding wear protection in high-horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TDRQTC	EA	(1) 946-ml Bottle	17.59	21.39
TDRQTC	CA	(12) 946-ml Bottles	199.40	255.60
TDR1GC	EA	(1) 3.78-litre Bottle	67.79	82.69
TDR1GC	CA	(4) 3.78-litre Bottles	257.00	329.00



**MAXIMUM  
PERFORMANCE**

## ● **Synthetic Chaincase & Gear Oil**

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
TCCNC	EA	(1) 473-ml Bottle	13.89	17.79
TCCNC	CA	(6) 473-ml Bottles	78.85	106.20



TCC

## ● **SABER® Professional Synthetic 2-Stroke Oil**

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATPSFC	EA	(1) 189-ml Bottle	5.49	6.89
ATPSFC	CA	(12) 189-ml Bottles	61.45	81.60
ATPBCC	EA	(1) 236-ml Bottle	6.09	7.59
ATPBCC	CA	(12) 236-ml Bottles	68.40	90.00
ATPQTC	EA	(1) 946-ml Bottle	16.89	20.49
ATPQTC	CA	(12) 946-ml Bottles	191.20	244.80



ATP

**SABER® Ratio™**  
**100:1... 10ml.... 1L**

## **SABER Professional Fights Carbon**

Equipment using SABER Professional was **96% carbon-free<sup>N</sup>**.



AMSOIL SABER Professional  
300 Hours  
3.8% Screen Blockage

VS.



Leading Oil Brand  
45 Hours  
98% Screen Blockage

<sup>N</sup>Based on spark-arrestor testing.





## Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

**Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more**

### ○ 5W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AESQT	EA	(1) 946-ml Bottle	12.49	15.29
AESQT	CA	(12) 946-ml Bottles	141.80	181.80

### ● 10W-30

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASEQTC	EA	(1) 946-ml Bottle	12.49	15.29
ASEQTC	CA	(12) 946-ml Bottles	141.80	181.80

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASFQT	EA	(1) 946-ml Bottle	13.79	16.79
ASFQT	CA	(12) 946-ml Bottles	156.40	200.40

### ● 15W-50

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SEFQT	EA	(1) 946-ml Bottle	11.79	14.39
SEFQT	CA	(12) 946-ml Bottles	133.60	171.00

## 20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

### ● 10W-40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AHFQT	EA	(1) 946-ml Bottle	16.39	19.89
AHFQT	CA	(12) 946-ml Bottles	185.50	237.60

## Signature Series Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions. Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.

## Handle More Heat With Confidence

### Standard Severe Service

### AMSOIL Severe Service

RESERVE PROTECTION

Change Interval – Miles



#### ● Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATFQTC	EA	(1) 946-ml Bottle	18.59	22.59
ATFQTC	CA	(12) 946-ml Bottles	210.80	270.00
ATFPK	EA	(1) 946-ml Easy-Pack	20.59	25.09
ATFPK	CA	(12) 946-ml Easy-Packs	233.60	299.40
ATFTPC	EA	(1) 9.45-litre Bottle	179.05	215.00
ATFTPC	CA	(2) 9.45-litre Bottles	339.40	428.00



#### ● Fuel-Efficient

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATLQTC	EA	(1) 946-ml Bottle	19.19	23.39
ATLQTC	CA	(12) 946-ml Bottles	217.80	279.00
ATLPK	EA	(1) 946-ml Easy-Pack	21.39	26.09
ATLPK	CA	(12) 946-ml Easy-Packs	243.10	311.40
ATLTPC	EA	(1) 9.45-litre Bottle	184.80	221.80
ATLTPC	CA	(2) 9.45-litre Bottles	350.30	441.60

OTF



## OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions.

### ● Multi-Vehicle

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTFQTC	EA	(1) 946-ml Bottle	12.49	15.29
OTFQTC	CA	(12) 946-ml Bottles	141.80	181.80
OTFTP	EA	(1) 9.45-litre Bottle	119.60	143.90
OTFTP	CA	(2) 9.45-litre Bottles	226.65	285.80

OTL



### ● Fuel-Efficient

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
OTLQTC	EA	(1) 946-ml Bottle	12.59	15.29
OTLQTC	CA	(12) 946-ml Bottles	142.45	182.40
OTLTP	EA	(1) 9.45-litre Bottle	120.65	145.15
OTLTP	CA	(2) 9.45-litre Bottles	228.65	288.30

CVT



## Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CVTQTC	EA	(1) 946-ml Bottle	17.59	22.29
CVTQTC	CA	(12) 946-ml Bottles	200.05	265.80



DCT



## 100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DCTQT	EA	(1) 946-ml Bottle	27.79	36.29
DCTQT	CA	(12) 946-ml Bottles	315.90	434.40

MTG



## Synthetic Manual Transmission and Transaxle Gear Lube

Provides improved internal component protection.

Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTGQTC	EA	(1) 946-ml Bottle	22.39	27.29
MTGQTC	CA	(12) 946-ml Bottles	254.50	325.80
MTGPK	EA	(1) 946-ml Easy-Pack	24.49	29.89
MTGPK	CA	(12) 946-ml Easy-Packs	278.55	357.00

MTF



## Synthetic Synchronmesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MTFQTC	EA	(1) 946-ml Bottle	20.29	24.69
MTFQTC	CA	(12) 946-ml Bottles	229.80	294.60

ART



## Super Shift® Racing Transmission Fluid

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ARTQT	EA	(1) 946-ml Bottle	17.69	21.59
ARTQT	CA	(12) 946-ml Bottles	200.70	257.40

ATD



## Torque-Drive® Synthetic Heavy-Duty Automatic Transmission Fluid

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATD1GC	EA	(1) 3.78-litre Bottle	74.29	90.49
ATD1GC	CA	(4) 3.78-litre Bottles	281.50	360.20

ATH



## Synthetic Tractor/Hydraulic Transmission Oil

Formulated for combinations of transmissions, hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ATHQT	EA	(1) 946-ml Bottle	14.49	17.69
ATHQT	CA	(12) 946-ml Bottles	164.60	211.20



## SEVERE GEAR® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

### ● 75W-90

#### Top fuel efficiency and cold-temperature performance

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVGQTC	EA	(1) 946-ml Bottle	21.99	26.79
SVGQTC	CA	(12) 946-ml Bottles	250.05	320.40
SVGPK	EA	(1) 946-ml Easy-Pack	21.99	26.79
SVGPK	CA	(12) 946-ml Easy-Packs	250.05	320.40

### ● 80W-90

#### Excellent extreme-pressure performance and wear protection

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AGLQT	EA	(1) 946-ml Bottle	16.59	20.29
AGLQT	CA	(12) 946-ml Bottles	188.65	241.80
AGLPK	EA	(1) 946-ml Easy-Pack	18.69	22.79
AGLPK	CA	(12) 946-ml Easy-Packs	212.10	271.80

### ● 75W-110

#### Extra viscosity protection without sacrificing fuel efficiency

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVTQT	EA	(1) 946-ml Bottle	22.29	27.19
SVTQT	CA	(12) 946-ml Bottles	253.20	324.60
SVTPK	EA	(1) 946-ml Easy-Pack	24.49	29.89
SVTPK	CA	(12) 946-ml Easy-Packs	278.55	357.00

### ● 75W-140

#### Maximum viscosity protection for severe-duty applications

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SVOQTC	EA	(1) 946-ml Bottle	24.79	30.19
SVOQTC	CA	(12) 946-ml Bottles	281.70	360.60
SVOPK	EA	(1) 946-ml Easy-Pack	24.79	30.19
SVOPK	CA	(12) 946-ml Easy-Packs	281.70	360.60



Whoever invented the easy-pack concept is a genius. Especially for servicing transfer cases and differentials. It lives up to its name. Not only an innovative oil, but innovative packaging as well.

— Joey  
Calif.

SRT



## SEVERE GEAR® SAE 250 EP Synthetic Racing Gear Lube

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
SRTQT	EA	(1) 946-ml Bottle	23.29	28.39
SRTQT	CA	(12) 946-ml Bottles	264.60	339.00

FGR




## 75W-90 Long Life Synthetic Gear Lube

Specifically engineered for extended drain intervals up to 805,000 kilometers as set by equipment manufacturers for over-the-road trucks and heavy equipment.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FGRQTC	EA	(1) 946-ml Bottle	18.49	22.59
FGRQTC	CA	(12) 946-ml Bottles	210.20	269.40





## Easy Installation



PRODUCT	STOCK#	P.C. PRICE	FULL PRICE
Hand Pump	G2039	13.65	14.70
Flexible Pour Spout	G1230	1.05	1.25
Nozzle Dispenser Caps (6)	G1242	1.60	1.60
FloTool Flexible Pour Spout	G3721	5.65	5.90



ADA



## Slip Lock® Differential Additive


Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

**Note:** AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADATBC	EA	(1) 118-ml Tube	11.49	14.19
ADATBC	CA	(12) 118-ml Tubes	129.80	169.80

## 99% Efficiency at 20 Microns

Filtering particles >20 microns fights engine wear.<sup>AA</sup>



<sup>AA</sup>In accordance with industry-standard ISO SO 4548-12.



## Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Oil Filters designated with product code EA15K are recommended for 24,000 kilometers/one year, whichever comes first, in normal or severe service. NOTE: Change oil filter at every oil change.
- Oil Filters designated with product code EAO are recommended for 40,000 kilometers/one year, whichever comes first, in normal service or 24,000 kilometers/one year, whichever comes first, in severe service. NOTE: Change oil filter at every oil change.

STOCK#	UNITS	P.C. PRICE	FULL PRICE	STOCK#	UNITS	P.C. PRICE	FULL PRICE
EA15K01	EA	27.45	34.40	EA15K32	EA	24.15	30.40
EA15K02	EA	27.80	34.95	EA034	EA	25.20	31.60
EA15K03	EA	25.60	32.15	EA15K35	EA	24.10	30.35
EA15K04	EA	26.60	33.45	EA15K37	EA	20.90	26.30
EA15K05	EA	25.75	32.45	EA15K38	EA	21.30	26.75
EA15K06	EA	22.50	28.30	EA15K39	EA	32.30	40.60
EA15K07	EA	19.25	24.20	EA042	EA	24.55	30.80
EA15K08	EA	28.20	35.50	EA15K43	EA	27.45	34.50
EA15K09	EA	25.55	32.30	EA15K49	EA	36.85	46.30
EA011	EA	23.75	29.75	EA15K50	EA	22.45	28.25
EA15K12	EA	23.05	29.05	EA15K51	EA	23.05	29.05
EA15K13	EA	24.25	30.50	EA052	EA	25.55	32.00
EA015	EA	25.40	31.80	EA15K53	EA	23.75	29.85
EA15K16	EA	24.10	30.40	EA15K54	EA	31.10	39.10
EA017	EA	23.35	29.35	EA055	EA	40.85	51.25
EA15K19	EA	24.15	30.40	EA059	EA	24.80	31.15
EA15K20	EA	25.40	31.85	EA064	EA	23.60	29.55
EA023	EA	23.75	29.75	EA080	EA	27.20	34.05
EA024	EA	25.65	32.15	EA15K88	EA	49.90	62.40
EA026	EA	27.85	34.85	EA098	EA	44.20	55.55
EA15K28	EA	25.40	31.85	EA099	EA	45.80	57.40
EA15K29	EA	24.55	30.85				

## Which filter do I need?

Check the product guides at [AMSOIL.ca](http://AMSOIL.ca), call 1-800-777-7094 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Fill in your vehicle information. Then call 1-800-777-7094 (Monday - Friday, 7 a.m. - 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.

Make \_\_\_\_\_ Year \_\_\_\_\_ Model \_\_\_\_\_ Engine \_\_\_\_\_

VIN \_\_\_\_\_

Your AMSOIL Oil Filter is \_\_\_\_\_

Your WIX Air Filter is \_\_\_\_\_

**AMSOIL**  
The First in Synthetics®

## More Premium Filters

AMSOIL offers a variety of specialty oil filters constructed with premium synthetic technology. Check the Product Guides at [AMSOIL.ca](http://AMSOIL.ca) or call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



### Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EAHD2160	EA	57.25	72.15
EAHD3000	EA	81.75	103.05
EAHD3191	EA	55.60	70.10
EAHD4005	EA	65.50	82.45
EAHD9000	EA	110.40	138.95
EAHD9025	EA	86.70	109.10



### Bypass Filtration

High-efficiency bypass filters effectively remove minute dirt particles and soot by working in conjunction with the engine's full-flow oil filter.

#### BYPASS OIL FILTRATION SYSTEMS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
BMK21	EA	(1) Single-Remote Bypass Kit	394.00	487.15
BMK22	EA	(1) DUAL-GARD Bypass Kit	422.00	522.40
BMK23	EA	(1) Universal Dual-Remote Bypass System	408.00	504.70
BMK26	EA	(1) Ford 7.3L Dual-Remote Bypass System	518.00	641.35
BMK27	EA	(1) 2001-2019 GM 6.6L Dual-Remote Bypass System	518.00	641.30
BMK28	EA	(1) Ford 6.7L Dual-Remote Bypass System	519.00	642.30
BMK30	EA	(1) Heavy-Duty Bypass Kit	438.00	542.25
BMK31	EA	(1) Ford 6.0/6.4L Single-Remote Bypass System	643.00	796.05
BMK32	EA	(1) 2001-2016 GM 6.6L Single-Remote Bypass System	618.00	764.35
BMK33	EA	(1) Ford 6.7L Single-Remote Bypass System	618.00	764.30
BMK34	EA	(1) 2004-current Cummins 5.0L/5.9L/6.7L Single-Remote Bypass System	494.00	610.50

#### BYPASS OIL FILTERS

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
EABP90	EA	(1) 6" Filter	57.20	71.00
EABP100	EA	(1) 7.5" Filter	63.75	79.15
EABP110	EA	(1) 10.5" Filter	70.25	87.20
EABP120	EA	(1) Heavy-Duty Filter for BMK30	81.75	101.35



### Motorcycle Oil Filters

High-efficiency filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).

STOCK#	UNITS	P.C. PRICE	FULL PRICE
EAOM103	EA	23.70	29.20
EAOM103C	EA	29.40	36.15
EAOM109	EA	23.70	29.15
EAOM134	EA	21.30	26.15
EAOM134C	EA	26.20	32.25
EAOM135	EA	22.05	27.15
EAOM135C	EA	27.00	33.25
EAOM136C	EA	27.00	33.20
EAOM138	EA	25.40	31.10



GRG



## DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GRGCR	EA	(1) 397-g. Cartridge	17.39	22.79
GRGCR	CA	(10) 397-g. Cartridges	169.35	222.00

## Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

GPOR1

GPOR2



### ● Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR1CR	EA	(1) 425-g. Cartridge	13.69	18.09
GPOR1CR	CA	(10) 425-g. Cartridges	135.60	174.00

### ● Synthetic Polymeric Off-Road Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPOR2CR	EA	(1) 425-g. Cartridge	14.49	19.09
GPOR2CR	CA	(10) 425-g. Cartridges	140.85	180.50

## Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

GPTR1

GPTR2



### ● Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR1CR	EA	(1) 397-g. Cartridge	11.99	15.89
GPTR1CR	CA	(10) 397-g. Cartridges	118.70	152.00

### ● Synthetic Polymeric Truck, Chassis and Equipment Grease

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GPTR2CR	EA	(1) 397-g. Cartridge	12.89	16.99
GPTR2CR	CA	(10) 397-g. Cartridges	127.15	163.00

GLC



## Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

*Use in applications that require NLGI No. 2*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GLCCR	EA	(1) 397-g. Cartridge	11.49	15.19
GLCCR	CA	(10) 397-g. Cartridges	111.35	146.00

GWR



## Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

*Use in applications that require NLGI No. 2*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GWRCR	EA	(1) 397-g. Cartridge	11.69	15.49
GWRCR	CA	(10) 397-g. Cartridges	112.90	148.00

GXC



## X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

*Use in applications that require NLGI No. 2*

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GXCCR	EA	(1) 397-g. Cartridge	14.99	19.69
GXCCR	CA	(10) 397-g. Cartridges	145.60	190.50

GEC



## Arctic Synthetic Grease

Discontinued and available while supplies last.

Provides extreme low-temperature pumpability and superior protection for equipment operating in harsh climates where temperatures drop well below freezing.

Use in applications that require NLGI No. 1

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
GECCR	EA	(1) 425-g. Cartridge	18.09	23.89
GECCR	CA	(10) 425-g. Cartridges	176.75	226.50

FWG



## Synthetic Fifth-Wheel Grease

Discontinued and available while supplies last.

Heavy-duty grease that provides outstanding protection and performance in the heavily loaded, harsh operating environments of fifth-wheel hitches used in trucking and trailer applications.

Use in applications that require NLGI No. 2

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FWGTB	EA	(1) 296-ml. Tube	10.89	13.69
FWGTB	CA	(12) 296-ml. Tubes	124.75	163.20

AIR



## Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AIRBA	EA	(1) 118-ml Bottle	5.49	6.99
AIRBA	CA	(12) 118-ml Bottles	62.05	82.80



ABC

## Semi-Synthetic Bar and Chain Oil

Delivers excellent lubrication and protection, helping extend the life of bar and chain applications.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ABCQT	EA	(1) 946-ml Bottle	8.69	10.69
ABCQT	CA	(12) 946-ml Bottles	98.75	126.60



PCI

## Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

### ● ISO 46, SAE 20

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCIQTC	EA	(1) 946-ml Bottle	17.69	21.49
PCIQTC	CA	(12) 946-ml Bottles	200.70	256.80

### ● ISO 100, SAE 30/40

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PCKQTC	EA	(1) 946-ml Bottle	18.09	22.09
PCKQTC	CA	(12) 946-ml Bottles	205.75	263.40




UCL

## Upper Cylinder Lubricant Gasoline Additive

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion. Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
UCLCNC	EA	(1) 177-ml Bottle	6.09	7.69
UCLCNC	CA	(12) 177-ml Bottles	69.00	91.20



## Preserves Horsepower and Performance

AMSOIL delivers 18 percent more lubricity than Lucas\* and 20 percent more than Sea Foam\* for better retention of horsepower and fuel economy.<sup>R</sup>

<sup>R</sup>Based on independent testing of AMSOIL Upper Cylinder Lubricant, Lucas Upper Cylinder Lubricant and Sea Foam Motor Treatment obtained on 02/13/2019 using the ASTM D6079 modified for use with gasoline. \*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



**INDUSTRY'S MOST  
ADVANCED**  
FORMULATION




**P.i.®**

Restores up to 14 percent horsepower.<sup>NN</sup> Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CPICN	EA	(1) 354-ml Bottle	16.69	20.69
CPICN	CA	(12) 354-ml Bottles	189.30	247.80

## AMSOIL Restores Horsepower


AMSOIL P.i.® restores up to 14% horsepower.<sup>NN</sup>



<sup>NN</sup>Based on third-party testing in a 2016 Chevrolet® Silverado® 1500, 5.3L V-8 GDI with 100,616 miles, using one tank treated with AMSOIL P.i. Actual results may vary. \*All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



**Injector before  
P.i. treatment.**



**Injector after one  
P.i. treatment.**



**Cylinder head  
before P.i.  
treatment.**



**Cylinder head  
after one P.i.  
treatment.**



### Addresses Ethanol-Related Performance issues

**DIRECTIONS:** One bottle treats up to 23 litres for cleanup and up to 45 litres for continued protection. For best results use with every tank.

## Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and four-stroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

**Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more**

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
AQSCNC	EA	(1) 236-ml Bottle	12.19	15.09
AQSCNC	CA	(6) 236-ml Bottles	69.00	90.30



**Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers, leading to lean-burn conditions.**

**Quickshot helps keep water molecules dispersed to prevent phase separation.**

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.

AST



## Gasoline Stabilizer

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. 60 ml treats 19 litres of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ASTCNC	EA	(1) 473-ml Bottle	15.49	19.19
ASTCNC	CA	(6) 473-ml Bottles	87.70	114.90

## AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam® Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.\*



\*Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.

COB



## DOMINATOR® Octane Boost

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 57 litres of gasoline.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
COBBE	EA	(1) 354-ml Bottle	12.89	15.59
COBBE	CA	(6) 354-ml Bottles	72.80	93.30

MOB



## Motorcycle Octane Boost

Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 15-23 litres of gasoline.


STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
MOBCNC	EA	(1) 118-ml Bottle	6.49	7.89
MOBCNC	CA	(12) 118-ml Bottles	73.45	94.20



## Superior Cold-Temperature Protection

Provides as much as **18°C better protection** against cold-temperature gelling than Howes Lubricator Diesel Treat.<sup>M</sup> Plus raises cetane up to 4 points.

**COLD FILTER-PLUGGING POINT (CFPP)**  
(The lower the number, the better.)



<sup>M</sup>Based on third-party testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above -17.8°C.

ADB



ADS



## Diesel All-In-One

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. 30 ml treats up to 9.46 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADBCNC	EA	(1) 473-ml Bottle	14.19	17.69
ADBCNC	CA	(12) 473-ml Bottles	161.45	211.20

## Diesel Injector Clean + Cetane Boost

Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADSCNC	EA	(1) 473-ml Bottle	16.59	20.59
ADSCNC	CA	(12) 473-ml Bottles	188.05	246.00

**UP TO 8%**  
FUEL ECONOMY IMPROVEMENT

ADF



## Diesel Injector Clean

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. 30 ml treats up to 18.93 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ADFCNC	EA	(1) 473-ml Bottle	11.19	13.89
ADFCNC	CA	(12) 473-ml Bottles	126.60	166.20



CCB



## Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. 30 ml treats up to 37.85 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CCBCN	EA	(1) 473-ml Bottle	12.49	15.59
CCBCN	CA	(12) 473-ml Bottles	141.80	186.00

DRC



## Diesel Recovery

Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. 30 ml treats up to 3.79 L of fuel.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
DRCQC	EA	(1) 887-ml Bottle	16.39	19.89
DRCQC	CA	(12) 887-ml Bottles	185.50	237.60

FLSH



## Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLSHCNC	EA	(1) 473-ml Bottle	14.69	18.29
FLSHCNC	CA	(12) 473-ml Bottles	167.15	219.00

CMP



## Metal Protector

Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
CMPSC	EA	(1) 208-g. Spray Can	8.49	10.29
CMPSC	CA	(12) 208-g. Spray Cans	95.60	122.40

ANT



## Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 241,000 kilometers or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,609,344 kilometers, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
ANT1G	EA	(1) 3.78-litre Bottle	59.09	72.29
ANT1G	CA	(4) 3.78-litre Bottles	223.90	287.60

To test freeze protection and additive concentration, order antifreeze test strips:

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
G1164	EA	70 Strips	16.80	17.60
G1165	EA	6 Strips	6.30	6.75



## AMSOIL Resists Cavitation

In third-party, industry-standard testing, cylinder liners protected by AMSOIL showed virtually **no signs of cavitation.**<sup>1</sup>

<sup>1</sup>Based on results of the ASTM D7583 cavitation test.

PSAF



RDCB



## DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
RDCBCN	EA	(1) 473-ml Bottle	15.49	19.19
RDCBCN	CA	(6) 473-ml Bottles	87.70	114.90

## Powersports Antifreeze & Coolant

Advanced design helps control operating temperature in hot-running, high-revving powersports applications. Extended-life formula provides all-season protection for up to five years.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSAFQTC	EA	(1) 946-ml Bottle	10.19	12.19
PSAFQTC	CA	(12) 946-ml Bottles	115.25	144.60

FLP



## Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
FLPBAC	EA	(1) 118-ml Bottle	12.09	15.89
FLPBAC	CA	(12) 118-ml Bottles	137.40	189.00

"It's a great product to keep your firearms/shotguns in great working order & protect from our harsh weather elements."

– Steve  
Pratts Fork, Ohio

PSF



## Multi-Vehicle Synthetic Power Steering Fluid

Provides excellent wear protection, long component life and quiet operation in most passenger cars and light trucks.

STOCK#	UNITS	PKG./SIZE	P.C. PRICE	FULL PRICE
PSFCNC	EA	(1) 473-ml Bottle	10.79	13.39
PSFCNC	CA	(12) 473-ml Bottles	122.20	160.20



## Fluid Extraction Pump

STOCK#	P.C. PRICE	FULL PRICE
G2576	21.00	22.10

Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

## Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-777-7094 (Monday - Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).



## The Company of **FIRSTS**

**More than 45 Years of Innovation and Leadership**

**FIRST** API-qualified 100 percent synthetic motor oil.

**FIRST** to introduce the concept of “extended drain intervals” with a recommended 25,000-mile/12-month drain interval.

**FIRST** synthetic gear lube for automotive use.

**FIRST** synthetic motor oil for diesel engines.

**FIRST** synthetic motor oil for racing engines.

**FIRST** synthetic motor oil for turbocharged engines.

**FIRST** synthetic motor oil for marine engines.

**FIRST** 100:1 pre-mix synthetic 2-cycle oil.

**FIRST** synthetic automatic transmission fluid for automotive use.







*The First in Synthetics®*

**AMSOIL INC.**

One AMSOIL Center  
Superior, WI 54880

WE HONOR



(Discover in U.S. only)

**Your Servicing AMSOIL Dealer**

Refer to this referral number to save time and make ordering easier. Call toll-free at 1-800-777-7094. Credit card orders only. ▼

**Referral #** \_\_\_\_\_