




Free Shipping on Orders of \$100 or More. See page 3 for details.



Product Index

| Motor Oil | 4 |
|---|----|
| European Motor Oil | 8 |
| Classic/Collector Car Motor Oil | 10 |
| Racing Oil | 11 |
| Diesel Oil | 12 |
| Oil Analysis | 15 |
| ATV/UTV Oil/Snowmobile Oil | 16 |
| Dirt Bike Oil/Suspension Fluid | 17 |
| Motorcycle Oil | 18 |
| Scooter Oil | 20 |
| Briggs & Stratton Synthetic 4T Racing Oil | 21 |
| Marine Oil | 22 |
| 2-Stroke Oil | 24 |
| Chaincase & Gear Oil | 25 |
| Small-Engine Oil | 26 |
| Transmission Fluid | 27 |
| Gear Lube | 31 |
| Filters | 33 |
| Grease | 35 |
| Air Tool Oil/ Bar and Chain Oil | 37 |
| Compressor Oil/Fuel Additives | 38 |
| Cleaners and Protectants | 43 |
| Coolant Boost/Coolant | 46 |
| Brake Fluid | 48 |
| Brake and Parts Cleaner/Power | |
| Steering Fluid | 49 |
| Waterless Wash & Wax/ Aftermarket Partners | 50 |

^{*}All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



Power Big Savings with Preferred Customer Membership

Preferred Customers Enjoy



Reduced **Pricing**

Up to 25% off every order



Free Shipping

On orders over \$100



Get a \$5 coupon with every \$100 you spend



Membership

When you spend \$500 in a year



Birthday Gift

Celebrate your day with \$5 off



Exclusive Promotions

Throughout the vear

Plus, you will receive the quarterly AMSOIL Magazine with the latest product details, technical information and complete product catalog.

Six-month trial membership just \$10. Full year of membership for just \$20.

Sign up at AMSOIL.com/pc today and use this referral number. -

Referral #

TECHNICAL QUESTIONS

(715) 399-8324 (TECH) or tech@AMSOIL.com

SHIPPING AND HANDLING

Contiguous U.S. – Free shipping on orders of \$100 or more in the contiguous U.S. Orders below that threshold pay a flat shipping rate of \$9.99. Exclusions apply. See the shipping & handling policy at AMSOIL.com/storefront/ shippinginformation.aspx.

Alaska – Add 7.5 percent to product prices for extra freight expenses. See Shipping Info at AMSOIL.com/storefront/ shippinginformation.aspx.

Hawaii – Orders are shipped using the most cost-effective method and actual freight charges will be applied when orders are shipped. See Shipping Info at AMSOIL.com/storefront/shippinginformation. aspx for additional details.

Military Post Boxes – AMSOIL INC. ships orders to APO and FPO addresses for customers' personal use only. Orders are shipped using U.S. Mail Parcel Post and will be charged actual freight costs, which will be charged at the time the order is shipped. See Shipping Info at AMSOIL.com for additional details.

PRODUCT DAMAGED DURING SHIPPING

If there is visible damage to your order upon delivery, refuse the order. It will be returned to AMSOIL INC. for inspection and a new order will be sent at no extra charge to you. If you discover hidden damage after accepting delivery of your order, call 1-800-777-7094 for instructions.

SALES TAX INFORMATION

AMSOIL INC. is required to collect state, city, county and other taxes. AMSOIL also collects any additional taxes on lubricating products required by certain states.

Prices subject to change without notice.


WHY BUY SIGNATURE SERIES?

Signature Series Delivers Powerful Protection

AMSOIL delivers powerful protection. How good is it? An independent lab compared AMSOIL synthetic motor oil head-to-head against a leading competitor in a 100,000-mile test. AMSOIL provided far superior wear protection and kept bearings looking like new.

PTesting conducted in an independent lab using AMSOIL Signature Series 5W-30 Synthetic Motor Oil and a leading synthetic-blend 5W-30 motor oil in Ford F-150 trucks with 3.5L twin-turbo engines.





AMSOIL Resists Viscosity Increase

AMSOIL is barely challenged by the industrystandard testing, demonstrating only a 0.1% viscosity increase. Even when the test length is doubled, AMSOIL **delivered twice the viscosity control** required by the standard. GG

Garage American Series Superior of Superior Series SW-30 in the Sequence IIIH Engine Test (ASTM D8111), required by the ILSAC GF-6 and API SP specifications.

AMSOIL Helps Keep Engines Cleaner

AMSOIL Signature Series is fortified with a heavy treatment of detergent additives, delivering **28 percent more acid-neutralizing power than Mobil 1*** and helping engines stay cleaner, longer.^{LL}

L. Based upon independent testing of Mobil 1 Annual Protection Full Synthetic 5W-30 and AMSOIL Signature Series 5W-30 in ASTM D2896. Oils purchased July 2020



AMSOIL Keeps Pistons Cleaner

Even after doubling the length of the industry-standard test, AMSOIL delivered **40% cleaner pistons** than required by the standard.^{FF}

FBased on independent testing of AMSOIL Signature Series 5W-30 in the Sequence IIIH Engine Test (ASTM DB111), required by the ILSAC GF-6 and API SP specifications.

Signature Series Protects Against LSPI AMSOIL Synthetic Motor Oils achieved

100% protection against LSPI. B

Based on zero I SPI events in five consecutive tests of AMSO

^BBased on zero LSPI events in five consecutive tests of AMSOIL Signature Series, XL and OE 5W-30 Motor Oil in the LSPI engine test required by the GM dexos1 Gen 2 specification.

Signature Series Guards Turbos

Protects turbochargers **72% better** than required^c by the GM dexos1[®] Gen 2 specification.

^cBased on independent testing of AMSOIL Signature Series 5W-30 in the GM turbo coking test.

Signature Series Cleans

AMSOIL Signature Series Synthetic Motor Oil has **50% more** detergents^D to help keep oil passages clean and promote oil circulation. It provides **90% better protection** against sludge. DD

^ovs. AMSOIL OE Motor Oil ^{oo}Based on independent testing of AMSOIL Signature Series 5W-30 in the ASTM D6593 engine test for oil screen plugging as required by the APISN specification.

Signature Series Fights Wear 75% more engine protection against horsepower loss and wear.^A ^ABased on independent testing of AMSOIL Signature Series 0W-20 using the ASTM D6891 standard test.





SIGNATURE SERIES SYNTHETIC MOTOR OIL

Engineered for enthusiasts seeking maximum protection and performance. Precision-formulated with cutting-edge technology and a longstanding devotion to making the world's best motor oil. The result: engine protection that blows the doors off the highest industry

| standards. Guaranteed protection for up to 25,000 miles or 1 year, whichever comes first. | | | | |
|---|-------------------------------|--|--|--|
| OW-20 STOCK# ASMQT ASMQT ASM1G ASM1G | UNITS EA CA EA CA | PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons | P.C. PRICE 12.49 141.80 49.29 186.55 | FULL PRICE 16.29 192.55 63.69 253.00 |
| STOCK# ALMQT ALMQT ALM1G ALM1G | UNITS EA CA EA CA | PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons | P.C. PRICE 12.49 141.80 49.29 186.55 | FULL PRICE 16.29 192.55 63.69 253.00 |
| OW-30 STOCK# AZOQT AZOQT AZO1G AZO1G | UNITS EA CA EA CA | PKG./SIZE 1 Quart 12 Quarts 1 Gallon 4 Gallons | P.C. PRICE 12.49 141.80 49.29 186.55 | FULL PRICE 16.29 192.55 63.69 253.00 |

| ASL | ATM |
|-----------------------|------------------------|
| zarone | zarcone |
| 2/11/0/15 | 211151113 |
| Sunthetic Motor ou | Synthetic Motor oil |
| ₩30 | SEJOW-30 |
| | |

AZF

| | Synthetic Synthetic |
|---|------------------------|
| | AMR |
| | - Amous |
| 1 | 20111 |

| 100000 | Annend |
|----------------|--|
| 7.55 ¥ 9 / 1/5 | MSVIIIS MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL MANUAL M |
| metor oil | SUNHOR SHE SEN-SO |
| | |

*Based on independent testing in the ASTM D6891 test using 0W-20 as worst-case representation

| 044-30 | | | | |
|---------|-------|-----------|------------|------------|
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
| AZOQT | EA | 1 Quart | 12.49 | 16.29 |
| AZOQT | CA | 12 Quarts | 141.80 | 192.55 |
| AZO1G | EA | 1 Gallon | 49.29 | 63.69 |
| AZO1G | CA | 4 Gallons | 186.55 | 253.00 |
| | | | | |
| ■ EW-20 | | | | |

| 344-30 | | | | |
|--------|-------|-----------|------------|------------|
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
| ASLQT | EA | 1 Quart | 12.49 | 16.29 |
| ASLQT | CA | 12 Quarts | 141.80 | 192.55 |
| ASL1G | EA | 1 Gallon | 49.29 | 63.69 |
| ASL1G | CA | 4 Gallons | 186.55 | 253.00 |
| | | | | |

| 10W-3 | D | | | |
|-----------------------------------|-------------------------|---|--|--|
| STOCK# ATMQT ATMQT ATM1G | UNITS EA CA EA | PKG./SIZE 1 Quart 12 Quarts 1 Gallon | P.C. PRICE 12.49 141.80 49.29 | FULL PRICE 16.29 192.55 63.69 |
| ATM1G OW-40 | CA | 4 Gallons | 186.55 | 253.00 |
| STOCK # AZFQT AZFQT | UNITS EA CA | PKG./SIZE 1 Quart 12 Quarts | P.C. PRICE 12.49 141.80 | FULL PRICE 16.29 192.55 |
| | | | | |

| AZFQT | CA | 1 Quart | 12.49 | 16.29 |
|---------------|-------|-----------|------------|------------|
| AZFQT | | 12 Quarts | 141.80 | 192.55 |
| STOCK # AMRQT | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
| | EA | 1 Quart | 12.49 | 16.29 |
| AMRQT | CA | 12 Quarts | 141.80 | 192.55 |





For enthusiasts who want to do something extra for their vehicle. Engineered for advanced automotive technology, including turbos and direct injection. Boosted formulation delivers more cleaning power and promotes longer engine life. **Provides 64% more protection against oil breakdown^F than required by the GM dexos1* Gen 2 specification**. Extra protection that lasts up to 12,000 miles or 1 year, whichever comes first.

0W-20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLZQT | EA | 1 Quart | 9.89 | 13.09 |
| XLZQT | CA | 12 Quarts | 112.25 | 154.60 |
| XLZ1G | EA | 1 Gallon | 38.79 | 50.99 |
| XLZ1G | CA | 4 Gallons | 146.95 | 202.15 |

● 5W-20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLMQT | EA | 1 Quart | 9.89 | 13.09 |
| XLMQT | CA | 12 Quarts | 112.25 | 154.60 |
| XLM1G | EA | 1 Gallon | 38.79 | 50.99 |
| XLM1G | CA | 4 Gallons | 146.95 | 202.15 |

5W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLFQT | EA | 1 Quart | 9.89 | 13.09 |
| XLFQT | CA | 12 Quarts | 112.25 | 154.60 |
| XLF1G | EA | 1 Gallon | 38.79 | 50.99 |
| XLF1G | CA | 4 Gallons | 146.95 | 202.15 |
| | | | | |

10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLTQT | EA | 1 Quart | 9.89 | 13.09 |
| XLTQT | CA | 12 Quarts | 112.25 | 154.60 |
| XLT1G | EA | 1 Gallon | 38.79 | 50.99 |
| XLT1G | CA | 4 Gallons | 146.95 | 202.15 |
| | | | | |

O 10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| XLOQT | EA | 1 Quart | 9.89 | 13.09 |
| XLOQT | CA | 12 Quarts | 112.25 | 154.60 |
| XL01G | EA | 1 Gallon | 38.79 | 50.99 |
| XL01G | CA | 4 Gallons | 146.95 | 202.15 |

"Put this in my light duty, full size pickup. Noticeable difference right away. Engine quieter and clean."

– Jim P Northern VA

FBased on independent testing of AMSOIL XL 5W-30 motor oil in the GMOD engine test required for the GM dexos1 Gen2 specification.





Delivers 100% synthetic engine protection for advanced automotive technology, including turbos and direct injection. **Provides 47 percent more wear protection.**^G Specifically formulated for the longer drain intervals recommended by original equipment (OE) manufacturers.

● 0W-16

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------------|-------|-----------|------------|------------|
| OESQT | EA | 1 Quart | 7.49 | 9.99 |
| OESQT | CA | 12 Quarts | 84.40 | 118.95 |
| | | | | |

0W-20

| UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|-------|----------------|---|--|
| EA | 1 Quart | 7.49 | 9.99 |
| CA | 12 Quarts | 84.40 | 118.95 |
| EA | 1 Gallon | 29.39 | 39.59 |
| CA | 4 Gallons | 111.10 | 156.25 |
| | EA CA EA | EA 1 Quart CA 12 Quarts EA 1 Gallon | EA 1 Quart 7.49 CA 12 Quarts 84.40 EA 1 Gallon 29.39 |

● 5W-20

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| OEMQT | EA | 1 Quart | 7.49 | 9.99 |
| OEMQT | CA | 12 Quarts | 84.40 | 118.95 |
| OEM1G | EA | 1 Gallon | 29.39 | 39.59 |
| OEM1G | CA | 4 Gallons | 111.10 | 156.25 |
| | | | | |

5W-30

| UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|-------|----------------|---|--|
| EA | 1 Quart | 7.49 | 9.99 |
| CA | 12 Quarts | 84.40 | 118.95 |
| EA | 1 Gallon | 29.39 | 39.59 |
| CA | 4 Gallons | 111.10 | 156.25 |
| | EA CA EA | EA 1 Quart CA 12 Quarts EA 1 Gallon | EA 1 Quart 7.49 CA 12 Quarts 84.40 EA 1 Gallon 29.39 |

10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| OETQT | EA | 1 Quart | 7.49 | 9.99 |
| OETQT | CA | 12 Quarts | 84.40 | 118.95 |

Tough-to-reach fill hole?

Order a flexible pour spout with your oil to make the job easier. Fits quarts and gallons.

STOCK# P.C. PRICE FULL PRICE G1230 0.80 0.90

^GBased on independent testing of OE 0W-20 in the Peugeot TU3M Wear Test as required by the dexos1 Gen 2 specification.

PREMIUM PROTECTION FOR EUROPEAN VEHICLES

Emissions System Protection

AMSOIL Synthetic European Motor Oil features precisely balanced formulations that consider the needs of modern exhaust treatment devices. It is important to use an oil that meets the proper specification to ensure optimum engine protection and performance.

Synthetic European Motor Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks.

- Outstanding All-Season Performance
- Engineered for Maximum Fuel Economy
- Enhanced Turbocharger Protection

"My engine sounds better than it ever has. My BMW* has 70,000+ miles and has never sounded this good or smooth. You can tell a lot about engines just from the sound and this baby is purring like I've never heard it purr. I am very pleased and glad I made the switch to AMSOIL."

– **Tom** Atlanta, Ga.

EUROPEAN MOTOR OIL



0W-20 LS-VW Synthetic European Motor Oil31

API SN-PLUS, SN... • ACEA C5 • VW 508,00/509,00 STOCK# UNITS PKG./SIZE P.C. PRICE **FULL PRICE** EZTQT EA CA 1 Quart 11.59 14.99 12 Quarts 178 65 F7T0T 131 15

0W-20 LS Synthetic **European Motor Oil**

API SN-PLUS (Resource Conserving), SN, SM... • ILSAC GF-5 • ACEA C5, A1/B1 • BMV LL-17FE+ • MB 229.71 • Ford WSS-M2C947-B1 • Opel/Yauxhall OV0401547 • Fiat 9.55535-GSX • Chrysler MS-12145 • Volvo VCC RBS0-2AE

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AFEQT | EA | 1 Quart | 10.79 | 14.09 |
| AFEQT | CA | 12 Quarts | 122.05 | 167.10 |

0W-40 FS Synthetic **European Motor Oil**

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • MB 229.3/229.5 • Porsche A40 • Renault 0710, 0700 • VW/Audi 502.00/505.00

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------------|-------|-----------|------------|------------|
| EFOQT | EA | 1 Quart | 11.19 | 14.59 |
| EFOQT | CA | 12 Quarts | 127.00 | 173.40 |

^{31,13} See page 51 for Proposition 65 information for this product.

5W-30 LS Synthetic European Motor Oil13

Manufacturer Approvals: VW 504.00/507.00 Use in vehicles that require API SN • ACEA C3 • GM dexos2 • Chrysler MS-11106 • MB 229.51 • BMW LL-04 • Porsche C30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AELQT | EA | 1 Quart | 13.99 | 17.99 |
| AELQT | CA | 12 Quarts | 158.40 | 213.65 |
| AEL1G | EA | 1 Gallon | 54.99 | 70.69 |
| AEL1G | CA | 4 Gallons | 208.50 | 280.90 |

5W-40 MS Synthetic European Motor Oil

Manufacturer Approvals: MB-Approval 229.51 • Porsche A40 Use in vehicles that require ACEA C3 • API SN/SM/CF... • BMW Longlife-04 • Chrysler MS-10850 (supersedes MS-10896) • Ford WSS-M2C917-A • GM dexos2 (supersedes LL-A-025 and LL-B-025) • Renault RN0700/RN0710 • VW/

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|-------------------|
| AFLQT | EA | 1 Quart | 11.89 | 15.49 |
| AFLQT | CA | 12 Quarts | 134.55 | 183.15 |
| AFL1G | EA | 1 Gallon | 46.69 | 60.59 |
| AFL1G | CA | 4 Gallons | 176.90 | 240.50 |

○ 5W-40 FS Synthetic European Motor Oil 13

Manufacturer Approvals: MB-Approval 229.5 • Porsche A40 • VW/Audi 502.00/505.00

Use in vehicles that require ACEA A3/B3, A3/B4 • API SN/ SM... • BMW LL-01 • Renault 0710, 0700

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------------|-------|-----------|------------|-------------------|
| EFMQT | EA | 1 Quart | 8.89 | 11.89 |
| EFMQT | CA | 12 Quarts | 100.95 | 140.20 |
| EFM1G | EA | 1 Gallons | 35.09 | 46.59 |
| EFM1G | CA | 4 Gallons | 132.90 | 184.30 |

BUILD IT.

CRUISE IT.





Assembly Lube¹⁷

Formulated to cling to engine parts and provide exceptional wear protection in newly built or rebuilt high-performance, racing and other four-stroke engines.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------|------------|------------|
| EALTB | EA | (1) 4-oz. Tube | 8.59 | 10.79 |
| EALTB | CA | (12) 4-oz. Tubes | 96.95 | 128.55 |

Break-In Oil¹⁷

Allows for quick and efficient piston ring seating in new and rebuilt high-performance and racing engines.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| BRKQT | EA | 1 Quart | 8.89 | 11.89 |
| BRKQT | CA | 12 Quarts | 100.95 | 140.45 |

Z-ROD® Synthetic Motor Oil

High-zinc, high-phosphorus formulation engineered specifically for classic cars and performance vehicles.

10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ZRTQT | EA | 1 Quart | 11.59 | 15.19 |
| ZRTQT | CA | 12 Quarts | 131.70 | 179.60 |

● 10W-40

| TOW- | 10W-40 | | | | | |
|--------|--------|-----------|------------|------------|--|--|
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE | | |
| ZRDQT | EA | 1 Quart | 11.59 | 15.19 | | |
| ZRDQT | CA | 12 Quarts | 131.70 | 179.65 | | |

20W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ZRFQT | EA | 1 Quart | 14.09 | 18.09 |
| ZRFQT | CA | 12 Quarts | 159.25 | 215.00 |









¹⁷ See page 51 for Proposition 65 information for this product.

AMSOIL Delivers Superior Rust Protection





In industry-standard testing, AMSOIL Z-ROD® completely prevented rust formation while a leading competitor did not.^{JJ}

^JBased upon in-house testing of AMSOIL Z-ROD 10W-40 and a leading competitor obtained on 7/25/2019 in ASTM D1748-10.



DOMINATOR® Synthetic Racing Oil

Superior performance and maximum protection in high-performance and racing applications.

5W-2017

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD20QT | EA | 1 Quart | 14.39 | 18.59 |
| RD20QT | CA | 12 Quarts | 163.45 | 220.25 |

10W-3017

DCO

SAE 20W-50 BOOSTEE

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD30QT | EΑ | 1 Quart | 13.79 | 17.89 |
| RD30QT | CA | 12 Quarts | 156.85 | 211.85 |

15W-5017

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD50QT | EΑ | 1 Quart | 14.49 | 18.69 |
| RD50QT | CA | 12 Quarts | 164.40 | 221.50 |
| RD501G | EA | 1 Gallon | 57.19 | 73.39 |
| RD501G | CA | 4 Gallons | 216.65 | 291.65 |

SAE 6017

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| RD60QT | EA | 1 Quart | 14.99 | 19.19 |
| RD60QT | CA | 12 Quarts | 169.70 | 228.35 |

17, 18 See page 51 for Proposition 65 information for this product.











RALLY



Competition Diesel Oil¹⁸

Delivers 50% more film thickness^Q to withstand high cylinder pressures and protect against wear.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DCOQT | EA | 1 Quart | 12.99 | 16.79 |
| DCOQT | CA | 12 Quarts | 146.95 | 199.15 |
| DCO1G | EA | 1 Gallon | 50.99 | 65.89 |
| DCO1G | CA | 4 Gallons | 193.35 | 261.85 |





Compared to the 3.5 cP HTHS limit for SAE 15W-40.

AMSOIL Fights Wear

AMSOIL delivers powerful engine protection. How good is it? In third-party testing compared to a leading brand, AMSOIL provided longlasting wear protection, keeping cylinder liners looking like new.DD



Signature Series Max-Duty Synthetic Diesel Oil

Use in vehicles that require API CK-4, CJ-4 or CI-4+

Engineered for maximum protection and performance for diesel engines. Provides 6X more engine protection. Delivers up to 60% better turbo cleanliness^J and withstands the extra demands you place on the turbo when pulling heavy loads or updating the tune for maximum horsepower. Provides up to 76% less oil consumption than required by the API CK-4 standard in the Caterpillar-1N oil consumption test. Provides up to 2X better rust protection.^K

5W-3013

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| DHDQT | EA | 1 Quart | 11.69 | 15.29 |
| DHDQT | CA | 12 Quarts | 132.40 | 180.35 |
| DHD1G | EA | 1 Gallon | 45.89 | 59.69 |
| DHD1G | CA | 4 Gallons | 174.00 | 236.80 |
| DHDTP | EA | (1) 2.5 Gallon | 113.60 | 145.55 |
| DHDTP | CA | (2) 2.5 Gallons | 215.35 | 289.10 |

10W-30¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|-------------------|
| DTT1G | EA | 1 Gallon | 45.89 | 59.59 |
| DTT1G | CA | 4 Gallons | 173.65 | 236.45 |
| DTTTP | EA | (1) 2.5 Gallon | 113.40 | 145.25 |
| DTTTP | CA | (2) 2.5 Gallons | 214.95 | 288.40 |

OW-40¹³

Delivers 4X better cold-temperature performance^{EE}

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DZFQT | EA | 1 Quart | 11.59 | 14.99 |
| DZFQT | CA | 12 Quarts | 131.10 | 178.60 |
| DZF1G | EA | 1 Gallon | 45.49 | 59.09 |
| DZF1G | CA | 4 Gallons | 172.25 | 234.50 |



5W-40¹³

| STOCK# DEOQT DEOQT DEO1G DEO1G | UNITS EA CA EA CA | 1 Quart 12 Quarts 1 Gallon 4 Gallons | 11.39 129.55 44.89 170.20 | |
|--|-------------------------------|---|------------------------------------|------------------|
| DE01G | CA | 4 Gallons | 170.20 | 232.00 |
| DEOTP DEOTP | EA CA | (1) 2.5 Gallon (2) 2.5 Gallons | | 142.65 283.20 |

O 15W-40¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| DMEQT | EA | 1 Quart | 11.19 | 14.69 |
| DMEQT | CA | 12 Quarts | 126.90 | 173.50 |
| DME1G | EA | 1 Gallon | 43.99 | 57.39 |
| DME1G | CA | 4 Gallons | 166.70 | 227.60 |
| DMETP | EA | (1) 2.5 Gallon | 108.80 | 139.90 |
| DMETP | CA | (2) 2.5 Gallons | 206.25 | 277.80 |
| | | | | |

-Based on specification standards of CAT C13 2nd Ring Top Land Carbon testing. "Based on industry standard testing using the NMMA FC-W Rust Test. than required by the Detroti Dises OD13 Soutling Iset for Specification DFS 93K222 using 9W-30 as worst-case representation. ^{EN}Vhen compared to SAE 15W-40 in ASTM DE393 Cold Charling Viscosity Test.

¹³ See page 51 for Proposition 65 information for this product.



 $^{\rm 13}$ See page 51 for Proposition 65 information for this product.



100% Synthetic Diesel Oil

Engineered specifically for smaller American diesel pickups, vans, cars and SUVs, providing outstanding protection, performance and fuel economy. Delivers up to 6X better wear protection than required by a leading industry standard.¹

0W-20

Use in vehicles that require GM dexosD

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| DP020QT | EA | 1 Quart | 10.19 | 13.39 |
| DP020QT | CA | 12 Quarts | 115.60 | 158.80 |

5W-30

Use in vehicles that require GM dexosD, dexos2 • Chrysler MS-11106

• Ford WSS-M2C214-B1 • ACEA C3

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| DP530QT | EA | 1 Quart | 10.09 | 13.39 |
| DP530QT | CA | 12 Quarts | 114.70 | 157.70 |

Discontinued and available while supplies last. For a serious upgrade, try Signature Series Max-Duty 5W-30. See page 12.

HDD

CI-4+ Synthetic Diesel Oils

Engineered for pre-2007 on- and off-road diesel applications not equipped with diesel particulate filters (DPFs).

Series 3000 5W-30 Synthetic Heavy Duty Diesel Oil¹³

Use in vehicles that require API CI-4+

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| HDDQT | EA | 1 Quart | 12.69 | 16.49 |
| HDDQT | CA | 12 Quarts | 143.55 | 194.65 |
| HDD1G | EA | 1 Gallon | 49.89 | 64.49 |
| HDD1G | CA | 4 Gallons | 188.85 | 255.85 |
| HDDTP | EA | (1) 2.5 Gallon | 123.45 | 157.30 |
| HDDTP | CA | (2) 2.5 Gallons | 233.95 | 312.55 |



15W-40 Synthetic Heavy Duty Diesel and Marine Oil¹³

Use in vehicles that require API CI-4+

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| AMEQT | EA | 1 Quart | 11.79 | 15.29 |
| AMEQT | CA | 12 Quarts | 133.10 | 181.45 |
| AME1G | EA | 1 Gallon | 46.19 | 59.99 |
| AME1G | CA | 4 Gallons | 174.90 | 238.20 |
| AMETP | EA | (1) 2.5 Gallon | 114.25 | 146.45 |
| AMETP | CA | (2) 2.5 Gallons | 216.50 | 290.80 |

¹⁸Based on third-party testing in the OM646LA cam wear test using 0W-20 as worst-case representation. ¹⁸See page 51 for Proposition 65 information for this product.

Like Heavy Duty Diesel and Marine Oil?

Try Signature Series Max-Duty 15W-40 for a serious upgrade. See page 12.



Premium Protection Synthetic Motor Oil

Ideal for gasoline engines and pre-2007 diesel applications not equipped with diesel particulate filters (DPFs), where the extra protection of a high-zinc formula is desired.

● 10W-40¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| AMOQT | EA | 1 Quart | 11.79 | 15.39 |
| AMOQT | CA | 12 Quarts | 133.60 | 182.00 |
| AMO1G | EA | 1 Gallon | 46.39 | 60.19 |
| AMO1G | CA | 4 Gallons | 175.60 | 239.00 |
| AMOTP | EA | (1) 2.5 Gallon | 114.70 | 146.95 |
| AMOTP | CA | (2) 2.5 Gallons | 217.40 | 291.80 |
| | | | | |



20W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AROQT | EA | 1 Quart | 12.29 | 15.99 |
| AROQT | CA | 12 Quarts | 139.50 | 189.70 |
| ARO1G | EA | 1 Gallon | 48.39 | 62.79 |
| ARO1G | CA | 4 Gallons | 183.45 | 249.25 |
| | | | | |

Oil Analysis

AMSOIL offers oil analysis service options from Oil Analyzers Inc. By analyzing used engine oil, a qualified lab can detect mechanical problems your equipment may have developed. For more information, visit www.oaitesting.com.

| STOCK# | PKG./SIZE 1 sample kit (includes two-way postage) 1 sample kit (includes UPS shipping) 1 sample kit 1 value sample kit | P.C. PRICE | FULL PRICE |
|--------|--|------------|------------|
| KIT01 | | 28.35 | 34.00 |
| KIT02 | | 28.35 | 33.90 |
| KIT06 | | 20.50 | 24.60 |
| KIT14 | | 15.70 | 19.15 |
| G1206 | Oil Suction Pump w/10-ft. hose | 26.25 | 28.90 |
| G1571 | Replacement Hose 25-ft. | 8.35 | 9.20 |



¹³See page 51 for Proposition 65 information for this product.

SYNTHETIC ATV/UTV MOTOR OIL

Formulated to provide upgraded performance and protection for hard-working and performance ATVs and UTVs.

● 10W-30¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AUV30QT | EA | 1 Quart | 11.19 | 15.59 |
| AUV30QT | CA | 12 Quarts | 126.45 | 184.80 |

5W-40¹³

| STUCK# | ONIIO | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AUV54QT | EA | 1 Quart | 12.29 | 17.09 |
| AUV54QT | CA | 12 Quarts | 139.15 | 202.25 |

10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AUV40QT | EA | 1 Quart | 12.29 | 17.09 |
| AUV40QT | CA | 12 Quarts | 139.45 | 202.80 |

9 5W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | 17.39 |
|---------|-------|-----------|------------|--------|
| AUV50QT | EA | 1 Quart | 12.59 | |
| AUV50QT | CA | 12 Quarts | 142.25 | 206.55 |

Synthetic ATV/UTV Transmission & Differential Fluid

Protects heavily loaded, high-torque ATV and UTV gears and bearings against wear in the most severe operating conditions. Convenient easy-pack helps access tough-to-reach fill holes, making the job faster and cleaner.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| AUDTQT | EA | 1 Quart | 13.99 | 18.69 |
| AUDTQT | CA | 12 Quarts | 159.05 | 222.30 |
| AUDTPK | EA | 1 Quart Easy-Pack | 15.69 | 20.89 |
| AUDTPK | CA | 12 Quart Easy-Packs | 178.45 | 248.05 |

Synthetic ATV/UTV Powertrain Fluid¹³

Purpose-built for transmission/differentials and front drives in Polaris* ATVs and UTVs, offering the perfect combination of protection and convenience.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|---------------------|------------|-------------------|
| AUPTPK | EA | 1 Quart Easy-Pack | 14.39 | 19.09 |
| ALIPTPK | CA | 12 Quart Fasy-Packs | 163.55 | 228 00 |

ATV/UTV Oil Change Kits

Contains everything needed to perform an oil change on most Polaris* (PK) and Can-Am* (CK) UTVs and ATVs. Call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate kit for your application.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| PK1 | EA | 1 kit | 39.60 | 53.20 |
| PK2 | EA | 1 kit | 35.10 | 47.00 |
| PK3 | EA | 1 kit | 32.95 | 44.25 |
| CK1 | EA | 1 kit | 62.45 | 83.75 |
| CK2 | EA | 1 kit | 48.40 | 64.45 |
| CK3 | EA | 1 kit | 60.55 | 80.90 |

Formula 4-Stroke® Powersports Synthetic Motor Oil

Specially formulated for four-stroke recreational motors, including ATVs and snowmobiles

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| AFFQT | EA | 1 Quart | 13.29 | 17.19 |
| AFFQT | CA | 12 Quarts | 150.80 | 203.95 |





SYNTHETIC DIRT BIKE OIL

Delivers confidence in clutch feel, maximum horsepower and superior wear protection in all types of four-stroke dirt bikes.

10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DB40QT | EA | 1 Quart | 12.69 | 17.59 |
| DB40QT | CA | 12 Quarts | 143.60 | 208.50 |

10W-50

| STUCK# | UNIIS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DB50QT | EA | 1 Quart | 14.19 | 19.59 |
| DB50QT | CA | 12 Quarts | 161.15 | 232.60 |

10W-60

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DB60QT | EA | 1 Quart | 14.69 | 20.29 |
| DB60QT | CA | 12 Quarts | 167.00 | 240.65 |

Synthetic Dirt Bike Transmission Fluid

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DBTFQT | EA | 1 Quart | 11.29 | 15.79 |
| DBTFQT | CA | 12 Quarts | 128.10 | 187.15 |

SHOCK THERAPY® SUSPENSION FLUID

Controls friction, heat, wear, foaming and scuffing in suspension components.

Lightweight #5¹³

Use in applications that demand quick rebounds under extreme temperatures.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| STLQT | EA | 1 Quart | 15.09 | 19.39 |
| STLQT | CA | 12 Quarts | 171.65 | 230.40 |

Medium #10¹³


Use in applications that require more dampening and slower rebounds.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| STMQT | EA | 1 Quart | 15.19 | 19.39 |
| STMQT | CA | 12 Quarts | 172.20 | 231.20 |

13See page 51 for Proposition 65 information for this product.

AMSOIL delivers confident clutch feel.


AMSOIL provides excellent clutch protection⁷. How good is it? In extreme simulated-start testing, AMSOIL provided superior wear protection and kept clutch plates looking new.





AMSOIL Resists Viscosity Breakdown

AMSOIL resists viscosity breakdown 6X better than Harley-Davidson* SYN3* for improved protection against compensator and transmission gear wear. BB



Based on testing of AMSOIL 20W-50 Synthetic V-Twin Motorcycle Oil purchased on 3/19/19 and Harley-Davidson Screamin Eagle SYN3 purchased on 3/19/19 in the CEC L45-KRL, ASTIM 0445 tes All trademarked names and images are the property of their respective owners and may be register marks in some ountries. No affiliation or endosement claim, express or implied, is made by their use



SYNTHETIC V-TWIN MOTORCYCLE OIL

Superior synthetic formulation provides long service life and maximum protection against engine wear in Harley-Davidson*, Buell* and other motorcycle engines, primaries and transmissions.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| MCVQT | EA | 1 Quart | 12.89 | 16.69 |
| MCVQT | CA | 12 Quarts | 146.25 | 198.30 |
| MCV1G | EA | 1 Gallon | 50.79 | 65.59 |
| MCV1G | CA | 4 Gallons | 192.50 | 260.75 |

SAE 60

Superior synthetic formulation provides long service life and maximum protection against engine wear in big-bore, air-cooled motorcycle engines, including Harley-Davidson Panhead. Shovelhead and Knucklehead.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MCSQT | EA | 1 Quart | 14.29 | 18.49 |
| MCSQT | CA | 12 Quarts | 162.55 | 219.30 |

20W-40

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian* and Victory* motorcycles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MVIQT | EA | 1 Quart | 12.79 | 16.69 |
| MVIQT | CA | 12 Quarts | 145.50 | 197.45 |

15W-60

Superior synthetic formulation provides long service life and maximum protection against engine wear in Indian and Victory motorcycles.

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| MSVQT | EA | 1 Quart | 14.79 | 19.59 |
| MSVQT | CA | 12 Quarts | 167.25 | 233.10 |





Synthetic V-Twin Transmission Fluid

Helps quiet V-twin transmission noise and enable smooth shifts.

 STOCK #
 UNITS
 PKG./SIZE
 P.C. PRICE
 FULL PRICE

 MVTQT
 EA
 1 Quart
 15.09
 20.09

 MVTQT
 CA
 12 Quarts
 171.75
 239.20

Synthetic V-Twin Primary Fluid

Delivers consistent clutch feel and helps riders easily find neutral.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MVPQT | EA | 1 Quart | 12.69 | 17.09 |
| MVPQT | CA | 12 Quarts | 144.40 | 202.85 |





SYNTHETIC METRIC MOTORCYCLE OIL

● 10W-40

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Can-Am*, Honda*, Yamaha*, Kawasaki*, Triumph*, Suzuki*, BMW* and other motorcycle engines.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MCFQT | EA | 1 Quart | 12.89 | 16.69 |
| MCFQT | CA | 12 Quarts | 145.70 | 197.55 |
| MCF1G | EA | 1 Gallon | 50.59 | 65.39 |
| MCF1G | CA | 4 Gallons | 191.70 | 259.70 |

● 10W-30


Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Honda, Yamaha, Suzuki and Kawasaki motorcycles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MCTQT | EA | 1 Quart | 13.09 | 16.99 |
| MCTQT | CA | 12 Quarts | 148.45 | 201.10 |

15W-50

Superior synthetic formulation provides long service life, smooth shifts and maximum protection against engine wear in Ducati*, BMW, KTM*, Yamaha, Triumph and Royal Enfield* motorcycles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MFFQT | EA | 1 Quart | 14.49 | 19.39 |
| MFFQT | CA | 12 Quarts | 164.80 | 229.85 |





ASO

Formula 4-Stroke® Synthetic Scooter Oil¹³

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled four-stroke motorized scooters.

| STOCK# UNITS PKG./SIZE P.C. PRICE FULL PF ASOQT EA 1 Quart 10.89 14 ASOQT CA 12 Quarts 123.55 169 |
|---|
|---|

See page 51 for Proposition 65 information for this product.



Briggs & Stratton, the world's largest small-engine manufacturer, chose AMSOIL to formulate the motor oil it recommends to protect its most demanding racing engines. Imagine what AMSOIL can do for you.

ACCEPT NO SUBSTITUTES.





Briggs & Stratton Synthetic 4T Racing Oil¹⁷

Formulated by AMSOIL specifically for stock and modified small-displacement air-cooled racing engines and recommended for any four-stroke air-cooled competition engine.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| GBS2960 | EA | 1 Quart | 11.25 | 15.95 |
| GBS2960 | CA | 12 Quarts | 134.90 | 191.56 |

¹⁷See page 51 for Proposition 65 information for this product.



HPM

• Outboard • Inboard • InboardOutboard (I/O) • Watercraft

Synthetic Marine Engine Oil

Formulated specifically for use in four-stroke gasoline-fueled engines used in marine applications. Certified to meet NMMA FC-W Catalyst Compatible performance specifications.

● 10W-30¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| WCTQT | EA | 1 Quart | 11.39 | 14.89 |
| WCTQT | CA | 12 Quarts | 128.90 | 175.95 |

● 10W-40¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| WCFQT | EA | 1 Quart | 12.39 | 16.09 |
| WCFQT | CA | 12 Quarts | 140.05 | 190.20 |

25W-40 (Synthetic Blend)²³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| WCMQT | FA | 1 Quart | 9 59 | 12 99 |
| WCMQT | CA | 12 Quarts | 109.10 | 153 90 |



◆ HP Marine[™] Synthetic
 2-Stroke Oil¹³

Prevents piston skirt scuffing, cylinder bore scuffing and ring sticking in all two-stroke outboard motors, personal watercraft and anywhere NMMA TC-W3 and API-TC oils are specified.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| HPMQT | EA | 1 Quart | 10.69 | 13.99 |
| HPMQT | CA | 12 Quarts | 120.75 | 165.65 |
| HPM1G | EA | 1 Gallon | 41.89 | 54.69 |
| HPM1G | CA | 4 Gallons | 158.50 | 217.20 |



WCM



RUNS ON FREEDOM

Don't let powersports manufacturers bully you into buying their brand of oil. You have the freedom to choose your brand of oil and keep your warranty intact. Find out more at **AMSOIL**.com/freedom.

^{23, 13}See page 51 for Proposition 65 information for this product.

AGM 2-Stroke OT 100:1 PRE-MIX STRUCT PRE-MIX PROPERTY OF THE PICTURE SEAR LUBE SEAR STRUCTURE SEAR LUBE SEAR STRUCTURE SEAR LUBE SEAR LUBE SEAR STRUCTURE SEAR STRUCTURE SEAR LUBE SEAR STRUCTURE SEAR ST

Outboard 100:1 Pre-Mix Synthetic 2-Stroke Oil¹³

Contains a heavy dose of low-temperature dispersant additives that excel at reducing varnish and carbon deposit formation in water-cooled outboard motors.

| STOCK# ATOBC | UNITS EA | PKG./SIZE (1) 8-oz. Bottle | P.C. PRICE 5.09 | FULL PRICE 6.69 |
|-----------------|-------------|-------------------------------|------------------------|--------------------|
| ATOBC | CA | (12) 8-oz. Bottles | 57.50 | 79.05 |
| ATOQT | EA | ` 1 Quart | 14.79 | 19.09 |
| ATOQT | CA | 12 Quarts | 168.05 | 226.35 |

Universal Synthetic Marine Gear Lube

Resists foam and retains extreme-pressure qualities in outboard lower units, stern drives, V-drives, bow and tunnel thrusters and marine transmissions. Delivers advanced outboard protection against power loss and gear wear, even with up to 15 percent water contamination. Choose the easy-pack for fast, easy installation.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| AGMTB | EA | (1) 10-oz. Tube | 7.39 | 9.49 |
| AGMTB | CA | (6) 10-oz. Tubes | 41.55 | 56.80 |
| AGMQT | EA | 1 Quart | 13.39 | 17.39 |
| AGMQT | CA | 12 Quarts | 152.40 | 206.30 |
| AGMPK | EA | 1 Quart Easy-Pack | 15.09 | 19.49 |
| AGMPK | CA | 12 Quart Easy-Packs | 171.65 | 230.90 |



Marine Gear Lube Pump²⁷

Specifically designed to ease installation and reduce mess when servicing lower units.

STOCK # P.C. PRICE FULL PRICE G3456 10.10 11.10







www.amsoil.com/mfr

3,27See page 51 for Proposition 65 information for this product.

Based upon AMSOIL testing of AMSOIL Synthetic Marine Gear Lube 75W-90 in ASTM 3233 and ASTM D892.



Runs On Freedom™ Limited Snowmobile Warranty

Use AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil exclusively in your current-model-year or newer sled and we'll cover engine repairs in the unlikely event of any engine breakdown for up to two years/5,000 miles.*

*To get details and register, visit AMSOIL.com/rofwarranty.



AIO

Synthetic 2-Stroke Injector Oil 13

High-quality, cost-effective oil for the severe operating conditions of two-stroke snowmobiles and outboard motors.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AIOOT | FA | 1 Quart | 9 79 | 13 19 |
| AIOQT | CA | 12 Quarts | 110.65 | 156.15 |
| AIO1G | EA | 1 Gallon | 38.49 | 51.79 |
| AIO1G | | 4 Gallons | 145.85 | 205.55 |
| AIUTG | CA | 4 Gallons | 140.00 | 200.00 |



● INTERCEPTOR® Synthetic 2-Stroke Oil 13

Prevents piston skirt scuffing, ring sticking and exhaust power valve sticking in two-stroke snowmobiles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AITQT | EA | 1 Quart | 12.39 | 16.19 |
| AITQT | CA | 12 Quarts | 140.80 | 191.30 |
| AIT1G | EA | 1 Gallon | 48.89 | 63.29 |
| AIT1G | CA | 4 Gallons | 185.20 | 251.35 |

Meets the performance requirements of Polaris*, Arctic Cat* and Ski-Doo* two-stroke snowmobiles.

AMSOIL Fights Wear

AMSOIL INTERCEPTOR® Synthetic 2-Stroke Oil delivered **outstanding wear protection and cleanliness** in a rental sled throughout 1,617 miles of abuse.^{cc}

AMSOIL kept pistons virtually free of carbon with nearly all coating intact.



AMSOIL fought the formation of carbon deposits, allowing power valves to move freely.



CEBased upon use of a new 2019 Polaris' RMK* 850 as a rental sled at Grizzly Lodge December 2018 - February 2019. "All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.

 $^{^{\}rm 13}$ See page 51 for Proposition 65 information for this product.



Hunter Patenaude Team AMSOIL

Scheuring Speed Sports

 DOMINATOR® Synthetic 2-Stroke Racing Oil¹³ Delivers outstanding wear protection in high-

horsepower and modified racing or trail motors, including snowmobiles, motorcycles, ATVs, personal watercraft, go-carts and outboard motors.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| TDRQT | EA | 1 Quart | 13.39 | 17.29 |
| TDRQT | CA | 12 Quarts | 151.30 | 204.80 |
| TDR1G | EA | 1 Gallon | 52.59 | 67.79 |
| TDR1G | CA | 4 Gallons | 199.20 | 269.35 |





MAXIMUM **PERFORMANCE**



Synthetic Chaincase & Gear Oil

Superior protection for enclosed chains and gears found in snowmobiles, ATVs, UTVs and general equipment.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| TCCCN | EA | (1) 16-oz. Bottle | 10.59 | 14.19 |
| TCCCN | CA | (6) 16-oz. Bottles | 60.05 | 84.20 |

SABER® Professional Synthetic 2-Stroke Oil¹³

Provides superior protection for handheld two-stroke equipment at any mix ratio up to 100:1, offering the ultimate in convenience.



| STOCK# ATPPK ATPPK ATPPK ATPPTS ATPBA ATPBA ATPBA ATPSF ATPSC ATPBC ATPBC ATPTE ATTTE ATTT | UNITS EA CA EA CA EA CA EA CA EA CA EA CA CA CA CA CA | PKG,/SIZE (1) 1.5-oz. Pillow Pack (48) 1.5-oz. Pillow Packs (1) 2.6-oz. Bottle (12) 2.6-oz. Bottles (1) 3.5-oz. Bottles (1) 3.5-oz. Bottles (1) 6.4-oz. Bottles (1) 8-oz. Bottle (12) 8-oz. Bottles (1) 12.8-oz. Bottles (1) 12.8-oz. Bottles (1) 12.8-oz. Bottles 1 Quarts 1 Quarts 1 Gallon 4 Gallons | P.C. PRICE 1.39 59.95 2.29 25.20 2.49 27.85 3.89 44.35 4.79 54.35 7.49 84.80 13.29 150.15 52.19 197.65 | FULL PRICE 1.89 88.55 2.99 35.20 3.29 38.95 5.29 62.20 6.39 74.95 9.99 117.90 17.19 203.45 67.39 267.50 |
|--|---|---|--|---|
|--|---|---|--|---|

SABER® Ratio"

¹³See page 51 for Proposition 65 information for this product.

SABER Professional Fights Carbon

Equipment using SABER Professional was 96% carbon-free^N.



AMSOIL SABER Professional 300 Hours 3.8% Screen Blockage

Leading Oil Brand 45 Hours 98% Screen Blockage

AES ASE SAE 5W-30 ASF AE 10W-30 TUS QUART+945 m SAE 10W-40 SEF TULS QUART + 945 ml AHF

Synthetic Small-Engine Oil

Helps preserve engine power, reduce oil consumption and reduce maintenance in small engines used in severe service.

Riding and Push Lawnmowers • Snowblowers • Generators • Pumps • Welders • Skid-Steers • Compressors • and more

| \cap | EW 20 | |
|----------|-----------------|--|
| \smile | 3 44-3 0 | |

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AESQT | EA | 1 Quart | 9.49 | 12.59 |
| AESQT | CA | 12 Quarts | 107.15 | 148.10 |

10W-30

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ASEQT | EA | 1 Quart | 9.49 | 12.59 |
| ASEQT | CA | 12 Quarts | 107.15 | 148.15 |
| ASE1G | EA | 1 Gallon | 37.09 | 48.89 |
| ASE1G | CA | 4 Gallons | 140.35 | 193.80 |

10W-40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ASFQT | EA | 1 Quart | 9.99 | 13.29 |
| ASFQT | CA | 12 Quarts | 113.60 | 156.35 |
| ASF1G | EA | 1 Gallon | 39.29 | 51.69 |
| ASF1G | CA | 4 Gallons | 148.90 | 204.80 |

15W-50

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| SEFQT | EA | 1 Quart | 8.99 | 11.89 |
| SEFQT | CA | 12 Quarts | 101.30 | 140.65 |

● 20W-50 Zero-Turn Synthetic Hydrostatic Transmission Fluid¹³

Fights wear to deliver smooth control and responsive power in zero-turn hydrostatic mowers.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| AHFQT | EA | 1 Quart | 11.99 | 15.59 |
| AHFQT | CA | 12 Quarts | 135.45 | 184.55 |
| AHF1G | EA | 1 Gallon | 46.99 | 61.09 |
| AHF1G | CA | 4 Gallons | 178.10 | 242.35 |

¹³See page 51 for Proposition 65 information for this product.

Signature Series Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions. Provides reserve protection in fleet vehicles, work trucks and other severe-service applications that quickly break down other lubricants.

Handle More Heat With Confidence

Standard Severe Service

AMSOIL Severe Service

RESERVE PROTECTION

Change Interval-Miles



Multi-Vehicle³⁷

| STOCK# ATFQT ATFQT ATFPK ATFPK ATF1G ATF1G | UNITS EA CA EA CA EA CA | PKG./SIZE 1 Quart 12 Quarts 1 Quart Easy-Pack 12 Quart Easy-Packs 1 Gallon 4 Gallons (1) 25 College | P.C. PRICE 14.59 165.30 16.09 183.10 57.49 217.85 | 18.69 222.40 20.59 245.20 73.59 292.80 |
|--|-------------------------|---|---|---|
| ATF1G | CA | 4 Gallons | 217.85 | 292.80 |
| ATFTP | EA | (1) 2.5 Gallon | 142.55 | 180.10 |
| ATFTP | CA | (2) 2.5 Gallons | 270.20 | 358.10 |



Fuel-Efficient¹⁷

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying low-viscosity oil.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ATLQT | EA | 1 Quart | 14.59 | 18.69 |
| ATLQT | CA | 12 Quarts | 165.45 | 222.50 |
| ATLPK | EA | 1 Quart Easy-Pack | 16.29 | 20.69 |
| ATLPK | CA | 12 Quart Easy-Packs | 184.45 | 246.85 |
| ATL1G | EA | 1 Gallon | 57.59 | 73.69 |
| ATL1G | CA | 4 Gallons | 218.05 | 292.95 |
| ATLTP | EA | (1) 2.5 Gallon | 142.70 | 180.10 |
| ATLTP | CA | (2) 2.5 Gallons | 270.45 | 358.20 |
| | | | | |

^{37,17}See page 51 for Proposition 65 information for this product.



OE Synthetic Automatic Transmission Fluid

Resists wear and provides smooth shifts in passenger-car/light-truck transmissions.

Multi-Vehicle¹³

| STOCK # | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------------|------------|------------|
| OTFQT | EA | 1 Quart | 9.39 | 12.49 |
| OTFQT | CA | 12 Quarts | 106.75 | 147.55 |
| OTF1G | EA | 1 Gallon | 37.09 | 48.99 |
| OTF1G | CA | 4 Gallons | 140.65 | 194.10 |
| OTFTP | EA | (1) 2.5 Gallon | 91.65 | 119.30 |
| OTFTP | CA | (2) 2.5 Gallons | 173.70 | 236.50 |



Fuel-Efficient¹³

Engineered to exceed the requirements of original equipment manufacturers (OEMs) specifying lowviscosity oil.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| OTLQT | EA | 1 Quart | 9.39 | 12.39 |
| OTLQT | CA | 12 Quarts | 106.90 | 147.75 |
| OTL1G | EA | 1 Gallon | 37.19 | 49.09 |
| OTL1G | CA | 4 Gallons | 140.85 | 194.30 |
| OTLTP | EA | (1) 2.5 Gallon | 91.75 | 119.45 |
| OTLTP | CA | (2) 2.5 Gallons | 173.90 | 236.80 |



Synthetic CVT Fluid

Provides outstanding protection and performance for continuously variable transmissions (CVT) throughout original equipment manufacturer (OEM)-recommended drain intervals.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| CVTQT | EA | 1 Quart | 13.39 | 17.89 |
| CVTQT | CA | 12 Quarts | 151.45 | 211.95 |
| CVT1G | EA | 1 Gallon | 52.59 | 70.19 |
| CVT1G | CA | 4 Gallons | 199.35 | 278.75 |

¹³See page 51 for Proposition 65 information for this product.



100% Synthetic DCT Fluid

Designed to protect high-tech dual-clutch transmissions during the most intense, high-heat operating conditions.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| DCTQT | EA | 1 Quart | 20.79 | 28.09 |
| DCTQT | CA | 12 Quarts | 236.30 | 335.65 |



Synthetic Manual Transmission and Transaxle Gear Lube¹⁵

Provides improved internal component protection. Formulated with extreme-pressure additives and advanced frictional qualities that provide smooth shifts while protecting gears, bearings and seals. Non-corrosive to yellow metals.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| MTGQT | EA | 1 Quart | 17.49 | 22.19 |
| MTGQT | CA | 12 Quarts | 198.45 | 264.85 |
| MTGPK | EA | 1 Quart Easy-Pack | 19.09 | 24.19 |
| MTGPK | CA | 12 Quart Easy-Packs | 217.10 | 288.70 |



Synthetic Synchromesh Transmission Fluid

Specifically designed to deliver smooth shifts and superior wear protection in manual transmissions and transaxles with synchronizers.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| MTFQT | EA | 1 Quart | 15.79 | 20.19 |
| MTFQT | CA | 12 Quarts | 178.65 | 239.75 |

¹⁵See page 51 for Proposition 65 information for this product.



Super Shift® Racing Transmission Fluid 17

Formulated to prevent slippage and reduce heat in high-performance, high-horsepower vehicles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ARTQT | EA | 1 Quart | 13.89 | 17.89 |
| ARTQT | CA | 12 Quarts | 157.40 | 212.45 |



Torque-Drive® Synthetic Heavy-Duty **Automatic Transmission Fluid**¹⁷

Premium fluid designed for use in both on- and off-highway heavy-duty equipment.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------|------------|------------|
| ATD1G | EA | 1 Gallon | 56.69 | 72.69 |
| ATD1G | CA | 4 Gallons | 214.90 | 288.95 |
| ATDTP | EA | (1) 2.5 Gallon | 140.65 | 177.70 |
| ATDTP | CA | (2) 2.5 Gallons | 266.55 | 353.35 |



Synthetic Tractor/Hydraulic Transmission Oil¹³

Formulated for combinations of transmissions. hydraulic systems, final drives, power take-off systems and wet brakes in heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ATHQT | EA | 1 Quart | 11.39 | 14.99 |
| ATHQT | CA | 12 Quarts | 129.50 | 176.85 |

^{17, 13} See page 51 for Proposition 65 information for this product.



SEVERE GEAR® Synthetic EP Gear Lube

Specifically engineered for high-demand applications, including trailer towing, heavy hauling, 4x4 off-road driving, commercial use and racing.

75W-90

Top fuel efficiency and cold-temperature performance

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| SVGQT | EA | 1 Quart | 17.29 | 22.09 |
| SVGQT | CA | 12 Quarts | 196.45 | 262.45 |
| SVGPK | EA | 1 Quart Easy-Pack | 17.29 | 22.09 |
| SVGPK | CA | 12 Quart Easy-Packs | 196.45 | 262.45 |
| | | | | |

80W-90¹³

Excellent extreme-pressure performance and wear protection

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| AGLQT | EA | 1 Quart | 13.09 | 16.89 |
| AGLQT | CA | 12 Quarts | 148.20 | 200.85 |
| AGLPK | EA | 1 Quart Easy-Pack | 14.69 | 18.89 |
| AGLPK | CA | 12 Quart Easy-Packs | 166.65 | 224.45 |



Extra viscosity protection without sacrificing fuel efficiency

| | , p | | | |
|--------|-------|---------------------|------------|------------|
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
| SVTQT | EA | 1 Quart | 17.49 | 22.29 |
| SVTQT | CA | 12 Quarts | 198.30 | 264.85 |
| SVTPK | EA | 1 Quart Easy-Pack | 19.19 | 24.39 |
| SVTPK | CA | 12 Quart Fasy-Packs | 217 85 | 289 85 |

75W-140

Maximum viscosity protection for severe-duty applications

| viaxiiiiuiii | viacosity | protection for se | vere-unity ap | piications |
|--------------|-----------|---------------------|---------------|------------|
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
| SVOQT | EA | 1 Quart | 18.99 | 24.19 |
| SVOQT | CA | 12 Quarts | 216.00 | 287.50 |
| SVOPK | EA | 1 Quart Easy-Pack | 18.99 | 24.19 |
| SVOPK | CA | 12 Quart Easy-Packs | s 216.00 | 287 50 |



Whoever invented the easy-pack concept is a genius. Especially for servicing transfer cases and differentials. It lives up to its name. Not only an innovative oil, but innovative packaging as well.

– Joey Calif.

¹³See page 51 for Proposition 65 information for this product.



SEVERE GEAR® SAE 250 EP Synthetic Racing Gear Lube²⁸

Engineered specifically for the demands of severe racing conditions, including off-road truck racing, rock racing, rock crawling, tractor pulling, funny car racing and dragster racing applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| SRTQT | EA | 1 Quart | 18.19 | 23.09 |
| SBTOT | CΔ | 12 Ouarte | 206.05 | 274 05 |

75W-90 Long Life Synthetic Gear Lube¹³

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for overthe-road trucks and heavy equipment.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| FGRQT | EA | 1 Quart | 14.99 | 19.29 |
| FGRQT | CA | 12 Quarts | 170.45 | 229.40 |
| FGR1G | EA | 1 Gallon | 59.39 | 76.19 |
| FGR1G | CA | 4 Gallons | 225.15 | 302 75 |



Slip Lock® Differential Additive²¹

Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip differentials.

Note: AMSOIL synthetic gear lubes do not require the use of this additive. However, not all differentials respond the same and if chatter is noticed, the addition of AMSOIL Slip Lock will eliminate it.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------|------------|------------|
| ADATB | EA | (1) 4-oz. Tube | 8.69 | 10.89 |
| ADATB | CA | (12) 4-oz. Tubes | 98.00 | 129.95 |



Easy Installation

| PRODUCT | STOCK# | P.C. PRICE | FULL PRICE |
|-----------------------------|--------|------------|------------|
| Hand Pump | G2039 | 10.50 | 11.55 |
| Flexible Pour Spout | G1230 | 0.80 | 0.90 |
| Nozzle Dispenser Caps (6) | G1242 | 1.05 | 1.20 |
| FloTool Flexible Pour Spout | G3721 | 4.20 | 4.65 |



28, 13, 21 See page 51 for Proposition 65 information for this product.

P9% Efficiency at 20 Microns Filtering particles >20 microns fights engine wear. A Challenger B 40 microns Challenger A 30 microns Aln accordance with industry-standard ISO SO 4548-12.



Oil Filters

AMSOIL Oil Filters rank among the highest efficiency filters available to the auto/light-truck and powersports markets, providing a filtering efficiency of 99 percent at 20 microns. Featuring advanced full-synthetic technology, AMSOIL Oil Filters provide greater efficiency, capacity and durability than cellulose filters, extending engine and filter life and reducing engine wear.

- Oil Filters designated with product code EA15K are recommended for 15,000 miles/one year, whichever comes first, in normal or severe service. NOTE: Change oil filter at every oil change.
- Oil Filters designated with product code EAO are recommended for 25,000 miles/one year, whichever comes first, in normal service or 15,000 miles/one year, whichever comes first, in severe service. NOTE: Change oil filter at every oil change.

| STOCK# EA15K01 EA15K02 EA15K03 EA15K04 EA15K06 EA15K06 EA15K08 EA15K09 EA011 EA15K12 EA15K12 EA15K12 EA15K16 EA15K16 EA15K16 EA15K20 EA024 EA026 EA026 EA026 EA15K28 | UNITS EA | P.C. PRICE 20.65 20.95 19.30 20.05 19.45 16.95 14.50 21.30 19.25 17.90 17.40 18.25 19.10 18.20 17.60 18.20 19.30 20.95 19.10 | FULL PRICE 26.10 26.50 24.40 25.40 24.55 21.50 18.35 27.00 22.90 22.15 23.30 24.60 23.05 22.55 23.35 24.35 24.35 24.85 24.85 26.95 24.45 | STOCK# EA15K32 EA034 EA15K35 EA15K35 EA15K38 EA042 EA15K39 EA042 EA15K49 EA15K50 EA15K51 EA052 EA15K53 EA055 EA059 EA064 EA080 EA15K88 EA098 EA099 | UNITS EAA EAA EAA EAA EAA EAA EAA EAA EAA EA | P.C. PRICE 18.20 19.00 18.20 15.75 16.05 24.35 18.50 20.65 27.75 16.90 17.40 19.25 17.90 23.45 30.80 18.70 17.75 20.50 37.60 33.30 34.50 | FULL PRICE 23.25 24.25 24.25 20.20 20.25 20.20 31.05 23.75 26.10 35.35 21.65 22.30 24.75 22.95 29.90 39.10 23.95 22.63 47.35 42.60 44.30 |
|---|--|--|--|--|--|--|--|
| EA15K28 EA15K29 | | 19.10 18.50 | | | | | |

Which filter do I need?

Check the product guides at AMSOIL.com, call 1-800-777-7094 (Monday-Friday, 7 a.m. - 7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine the appropriate filter for each application. When AMSOIL Oil Filters are used with a motor oil other than AMSOIL motor oil the filter should be changed according to the vehicle manufacturer recommendation.

Fill in your vehicle information. Then call 1-800-777-7094 (Monday – Friday, 7 a.m. – 7 p.m. Central Time). You may also contact the AMSOIL Dealer listed on the back of your catalog (if one is listed) to determine your appropriate oil and air filters.

| Make | Year | Model | Engine |
|--------------------|------|-------|-------------------------|
| VIN | | | |
| Your Oil Filter is | | | |
| Your Air Filter is | | | The First in Sunthetics |

More Premium Filters

AMSOIL offers a variety of specialty oil filters constructed with premium synthetic technology. Check the Product Guides at AMSOIL.com or call (715) 399-8324 (TECH) (Monday-Friday, 8 a.m. - 5 p.m. Central Time) for application information.



Heavy-Duty Extended-Life Oil Filters

Provide excellent 99 percent filtering efficiency at 20 microns and high contaminant capacity for heavy-duty on- and off-road diesel and gasoline applications. Provide extended service intervals that coincide with the maximum drain intervals of AMSOIL synthetic engine oils.

| STOCK# | UNITS | P.C. PRICE | FULL PRICE |
|----------|-------|------------|------------|
| EAHD2160 | EA | 43.15 | 55.70 |
| EAHD3000 | EA | 61.65 | 79.25 |
| EAHD3191 | EA | 41.90 | 54.00 |
| EAHD4005 | EA | 49.30 | 64.25 |
| EAHD9000 | EA | 83.20 | 106.55 |
| EAHD9025 | EA | 65.35 | 84.00 |



Bypass Filtration

High-efficiency bypass filters effectively remove minute dirt particles and soot by working in conjunction with the engine's full-flow oil filter.

| BYPASS OIL FILTRATION SYSTEMS | | | | | | |
|-------------------------------|----------|---|------------|------------|--|--|
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE | | |
| BMK21 | EA | (1) Single-Remote Bypass Kit | 297.00 | 370.00 | | |
| BMK22 | EA | (1) DUĂL-GARD Bypass Kit | 318.35 | 398.00 | | |
| BMK23 | EA | (1) Universal Dual-Remote | | | | |
| | | Bypass System | 307.50 | 385.00 | | |
| BMK26 | EA | (1) Ford 7.3L Dual-Remote | | | | |
| | | Bypass System | 390.70 | 491.00 | | |
| BMK27 | EA | (1) 2001-2019 GM 6.6L Dual-Remote | | | | |
| | | Bypass System | 390.70 | 490.00 | | |
| BMK28 | EA | (1) Ford 6.7L Dual-Remote | | | | |
| | | Bypass System | 391.35 | 491.00 | | |
| BMK30 | EA | (1) Heavy-Duty Bypass Kit | 330.45 | 415.00 | | |
| BMK31 | EA | (1) Ford 6.0/6.4L Single-Remote | | | | |
| | | Bypass System | 485.25 | 604.00 | | |
| BMK32 | EA | (1) 2001-2016 GM 6.6L Single-Remote | | | | |
| | | Bypass System | 465.90 | 580.00 | | |
| BMK33 | EA | (1) Ford 6.7L Single-Remote | | | | |
| | | Bypass System | 465.90 | 580.00 | | |
| BMK34 | EA | (1) 2004-current Cummins 5.0L/5.9L/6.7L | | | | |
| | | Single-Remote Bypass System | 372.10 | 464.00 | | |
| BYPASS (| DIL FILT | TERS . | | | | |
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE | | |
| EABP90 | EA | (1) 6" Filter | 43.15 | 54.35 | | |
| EABP100 | EA | (1) 7.5" Filter | 48.10 | 60.60 | | |
| EABP110 | EA | (1) 10.5" Filter | 53.00 | 66.80 | | |
| EABP120 | EA | (1) Heavy-Duty Filter for BMK30 | 61.65 | 78.40 | | |
| | | | | | | |



Motorcycle Oil Filters

High-efficiency filters available for the motorcycle and powersports market. Provide excellent 99 percent filtering efficiency at 20 microns. Available in black or chrome (as available).

| STOCK# | UNITS | P.C. PRICE | FULL PRICE |
|----------|-------|------------|------------|
| EAOM103 | EA | 17.90 | 22.25 |
| EAOM103C | EA | 22.20 | 27.50 |
| EAOM109 | EA | 17.90 | 22.20 |
| EAOM134 | EA | 16.05 | 20.05 |
| EAOM134C | EA | 19.75 | 24.65 |
| EAOM135 | EA | 16.65 | 20.80 |
| EAOM135C | EA | 20.35 | 25.45 |
| EAOM136C | EA | 20.35 | 25.40 |
| EAOM138 | EA | 19.10 | 23.75 |

GRG DOMINATOR

GPOR1

GREASE



GPOR2

GPTR1



DOMINATOR® Synthetic Racing Grease

High-performance bearing and chassis lubrication for all race applications on snow, dirt, water and track. Designed for bearings that operate under high-speed, high-heat conditions.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GRGCR | EA | (1) 14-oz. Cartridge | 13.79 | 18.59 |
| GRGCR | CA | (10) 14-oz. Cartridges | 134.60 | 180.60 |

Synthetic Polymeric Off-Road Grease

Extreme-pressure, moly-fortified grease that provides outstanding protection for heavy-load-bearing applications, including steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions.

Synthetic Polymeric Off-Road Grease³⁶

Use in applications that require NLGI No. 1

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPOR1CR | EA | (1) 15-oz. Cartridge | 10.59 | 14.39 |
| GPOR1CR | CA | (10) 15-oz. Cartridges | 104.50 | 138.20 |

Synthetic Polymeric Off-Road Grease³⁶

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPOR2CR | EA | (1) 15-oz. Cartridge | 11.09 | 15.09 |
| GPOR2CR | CA | (10) 15-oz. Cartridges | 109.20 | 144.25 |

Synthetic Polymeric Truck, Chassis and Equipment Grease

Delivers excellent wear protection and performance in severe-service, extreme-pressure environments such as axle assemblies, U-joints, pivot pins, fifth-wheel plates, steering linkages, kingpins, water pump bearings, ball joints and other greasable bearings and chassis components.

Synthetic Polymeric Truck, Chassis and Equipment Grease³⁵

Use in applications that require NLGI No. 1

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPTR1CR | EA | (1) 14-oz. Cartridge | 8.99 | 12.39 |
| GPTR1CR | CA | (10) 14-oz. Cartridges | 89.10 | 118.50 |

Synthetic Polymeric Truck, Chassis and Equipment Grease³⁵

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|------------------------|------------|------------|
| GPTR2CR | EA | (1) 14-oz. Cartridge | 9.69 | 13.29 |
| GPTR2CR | CA | (10) 14-oz. Cartridges | 95.75 | 127.00 |

^{36, 35} See page 51 for Proposition 65 information for this product.



Synthetic Multi-Purpose Grease

Delivers premium wear protection for bearings, bushings, chassis lubrication and other applications.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GLCCR | EA | (1) 14-oz. Cartridge | 8.69 | 11.99 |
| GLCCR | CA | (10) 14-oz. Cartridges | 84.05 | 114.40 |



Synthetic Water-Resistant Grease

Provides outstanding water-washout and spray-off resistance for applications frequently exposed to water, mud, snow or ice.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GWRCR | EA | (1) 14-oz. Cartridge | 8.89 | 12.19 |
| GWRCR | CA | (10) 14-oz. Cartridges | 85.30 | 116.10 |



X-Treme Synthetic Food Grade Grease

Designed for high levels of protection in food and pharmaceutical industry equipment. NSF-approved formula (formerly USDA H-1) for incidental contact with food.

Use in applications that require NLGI No. 2

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GXCCR | EA | (1) 14-oz. Cartridge | 11.29 | 15.29 |
| GXCCR | CA | (10) 14-oz. Cartridges | 109.45 | 147.70 |

FWG The First to Regulations SYNTHETIC FIFTH-WHEEL GREASE Regulation Pass Regulation Capable Land Value La

AIR

GSP

Synthetic Fifth-Wheel Grease

Discontinued and available while supplies last.

Heavy-duty grease that provides outstanding protection and performance in the heavily loaded, harsh operating environments of fifth-wheel hitches used in trucking and trailer applications.

| Use in applications that require NLGI No. 2 | | | | | |
|---|-------|-------------------|------------|------------|--|
| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE | |
| FWGTB | EA | (1) 10-oz. Tube | 8.09 | 10.59 | |
| FWGTB | CA | (12) 10-oz. Tubes | 91.90 | 124.00 | |

Spray Grease

Applies quickly and evenly and is ideal for greasing hard-to-reach equipment, including hinges, springs, industrial chains, latches, slides, winches and other common applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| GSPSC | EA | (1) 10-oz. Spray Can | 9.29 | 11.79 |
| GSPSC | CA | (12) 10-oz. Spray Cans | 104.90 | 139.60 |

Synthetic Air Tool Oil

Effectively lubricates rotary and piston-type air-tool bearings and motors, while managing moisture and conditioning rubber and plastic seals and O-rings.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| AIRBA | EA | (1) 4-oz. Bottle | 3.99 | 5.29 |
| AIRBA | CA | (12) 4-oz. Bottles | 45.45 | 62.00 |

Semi-Synthetic Bar and Chain Oil¹⁷

Delivers excellent lubrication and protection, helping extend the life of bar and chain applications.

| STOCK# | UNITS | PKG./SIZE 1 Quart 12 Quarts 1 Gallon | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------------------------|------------|------------|
| ABCQT | EA | | 6.59 | 8.99 |
| ABCQT | CA | | 74.10 | 105.95 |
| ABC1G | EA | | 25.59 | 34.99 |
| ABC1G | CA | 4 Gallons | 96.70 | 138.10 |

¹⁷See page 51 for Proposition 65 information for this product.



Synthetic Compressor Oil

Superior protection for rotary screw, rotary vane, reciprocating and other compressor applications.

● ISO 46, SAE 20¹³

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| PCIQT | EA | 1 Quart | 13.99 | 17.89 |
| PCIQT | CA | 12 Quarts | 158.25 | 213.40 |

ISO 100, SAE 30/40

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| PCKQT | EA | 1 Quart | 14.29 | 18.39 |
| PCKQT | CA | 12 Quarts | 161.95 | 218.35 |

Gasoline Stabilizer¹³

Helps prevent the formation of varnish and sludge in stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats. One ounce treats 2.5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| ASTCN | EA | (1) 16-oz. Bottle | 11.69 | 15.09 |
| ASTCN | CA | (6) 16-oz. Bottles | 66.30 | 89.90 |

AMSOIL Fights Corrosion

AMSOIL provides corrosion protection Sea Foam® Motor Treatment can't match, helping maintain power and performance and keeping metal looking like new even when subjected to salt water.*



UCL

750LIN

5 FL 0Z. + 177 ml




*Based upon independent testing of AMSOIL Gasoline Stabilizer obtained Nov. 8, 2018 and Sea Foam Motor Treatment purchased Oct. 25, 2018 in a modified NACE TM0172 using synthetic sea water per ASTM D665 part B.

> ¹³See page 51 for Proposition 65 information for this product.

Upper Cylinder Lubricant Gasoline Additive¹³

Lubricates fuel system and upper cylinders. Fights ethanol-related corrosion Helps keep injectors clean. Bottle compatible with capless fuel systems. Use entire bottle at every fill-up.


| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| UCLCN | EA | (1) 6-oz. Bottle | 4.49 | 5.79 |
| UCLCN | CA | (12) 6-oz. Bottles | 50.45 | 69.05 |



Preserves Horsepower and Performance

AMSOIL delivers 18 percent more lubricity than Lucas* and 20 percent more than Sea Foam* for better retention of horsepower and fuel economy.^R

Based on independent testing of AMSOIL Upper Cylinder Lubricant. Lucas Upper Cylinder Lubricant and Sea Foam Motor Treatment obtained on 02/13/2019 using the ASTM D6079 modified for use with gasoline. "All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.




Restores up to 14 percent horsepower.^{NN} Bottle compatible with capless fuel systems. Add entire bottle to tank at fill-up.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| APICN | EA | (1) 12-oz. Bottle | 12.99 | 16.69 |
| APICN | CA | (12) 12-oz. Bottles | 147.75 | 198.30 |



AMSOIL Restores HorsepowerAMSOIL P.i.® restores up to 14% horsepower.^{NN}



No. Based on third-party testing in a 2016 Chevrolet* Silverado* 1500, 5.3L V-8 GDI with 100,616 miles, using one tank treated with AMSOIL P.I. Actual results may vary. "All trademarked names and images are the property of their respective owners and may be registered marks in some countries. No affiliation or endorsement claim, express or implied, is made by their use.



Injector **before** P.i. treatment.



Injector **after** one P.i. treament.



Cylinder head **before** P.i. treatment.



Cylinder head after one P.i. treament.



Addresses Ethanol-Related Performance issues

DIRECTIONS: One bottle treats up to 6 gallons for cleanup and up to 12 gallons for continued protection. For best results use with every tank.

Quickshot®

Effectively addresses performance issues related to ethanol, water and dirty pump gas in two- and fourstroke gasoline-powered engines and powersports equipment fuel systems, restoring peak performance.

Motorcycles • Snowmobiles • Boats • ATVs • Edgers • Tillers • Mowers • Snowblowers • Chainsaws • Generators • Farm & Construction Equipment • and more

| STOCK# AQSCN AQSCN | UNITS EA CA | PKG./SIZE (1) 8-oz. Bottle (6) 8-oz. Bottles | P.C. PRICE 9.19 52.20 | FULL PRICE 11.89 70.85 |
|--------------------------|-------------------|--|-----------------------------|------------------------------|
| AQSQT | EA | 1 Quart | 30.59 | 38.19 |
| AQSQT | CA | 12 Quarts | 347.15 | 455.55 |



Phase separation is when ethanol/water mixtures fall to the bottom of fuel tanks and containers. leading to lean-burn conditions.

Quickshot helps keep water molecules dispersed to prevent phase separation.

Degraded fuel can present a major maintenance issue in motorcycle engines, forming varnish, gum and insoluble debris that clog carburetors, fuel injectors and fuel filters. Carbon buildup can form on the tops of pistons resulting in pre-ignition, rough idling and poor throttle response. Fuel-related problems are only expected to intensify in the coming years as the ethanol content in pump gasoline continues to increase.

AMSOIL Quickshot® (AQS) is a premium fuel additive formulated to thoroughly clean and restore peak performance in motorcycle and powersports equipment fuel systems. It also stabilizes fuel between uses and during short-term storage periods.





DOMINATOR® Octane Boost²¹

Improves the performance of all two- and four-stroke gasoline-fueled engines. Treats up to 15 gallons of gasoline.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| AOBBE | EA | (1) 12-oz. Bottle | 9.89 | 12.39 |
| AOBBE | CA | (6) 12-oz. Bottles | 55.75 | 73.60 |

Motorcycle Octane Boost²¹

Increases octane up to three numbers for maximum power and efficiency in motorcycles. Treats 4-6 gallons of gasoline.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------|------------|------------|
| MOBCN | EA | (1) 4-oz. Bottle | 4.79 | 5.99 |
| MOBCN | CA | (12) 4-oz. Bottles | 54.15 | 71.10 |



Emergency diesel fuel treatment that liquefies gelled diesel fuel and thaws frozen fuel filters. Keep a bottle on hand for emergencies. One ounce treats up to 1 gallon of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| DRCQT | EA | (1) 30-oz. Bottle | 12.39 | 16.09 |
| DRCQT | CA | (12) 30-oz. Bottles | 140.85 | 190.85 |

Diesel Cold Flow³⁸

Effectively modifies wax crystal formation at low temperatures to depress diesel fuel pour point, prevent wax settling and improve cold-flow filtration properties. Lowers cold filter-plugging point (CFPP) by up to 40°F (22°C) in ultra-low-sulfur diesel (ULSD). One ounce treats up to 5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ADDCN | EA | (1) 16-oz. Bottle | 8.89 | 11.69 |
| ADDCN | CA | (12) 16-oz. Bottles | 100.75 | 138.10 |

Diesel Cetane Boost

Raises the cetane number of diesel fuel up to eight points for maximum horsepower, increased fuel economy and easier starts in all diesel engines. Diesel engines operate best on fuel with cetane values of 50 or higher. Most diesel fuel sold in North America has a cetane value of 40-45. One ounce treats up to 10 gallons of fuel.


| STOCK# UNITS PKG./SIZE ACBCN EA (1) 16-oz. Bottle ACBCN CA (12) 16-oz. Bottles ACBHG EA (1) 64-oz. Bottle ACBHG CA (6) 64-oz. Bottles | 9.29 105.65 31.59 179.60 | FULL PRICE 12.19 145.00 40.69 242.10 |
|---|-----------------------------------|--|
|---|-----------------------------------|--|

^{21,38}See page 51 for Proposition 65 information for this product.









ADB

Superior Cold-Temperature Protection

Provides as much as 32°F better protection against cold-temperature gelling than Howes Lubricator Diesel Treat.^M Plus raises cetane up to 4 points.

"Based on third-party testing in July 2017 of AMSOIL Diesel All-In-One and Howes Lubricator Diesel Treat using diesel fuel representative of the U.S. marketplace and Howes' recommended treat ratio for above 0°F.



ADF

Diesel All-In-One³⁸

Combines the superior deposit-removing properties of Diesel Injector Clean, the excellent anti-gelling properties of Diesel Cold Flow and the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. One ounce treats up to 2.5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ADBPCN | EA | (1) 8-oz. Bottle | 5.99 | 7.89 |
| ADBPCN | CA | (6) 8-oz. Bottles | 33.85 | 46.95 |
| ADBCN | EA | (1) 16-oz. Bottle | 10.59 | 13.79 |
| ADBCN | CA | (12) 16-oz. Bottles | 119.95 | 163.30 |
| ADBHG | EA | (1) 64-oz. Bottle | 37.59 | 47.79 |
| ADBHG | CA | (6) 64-oz. Bottles | 213.40 | 284.65 |



Combines the superior deposit-removing properties of Diesel Injector Clean with the cetane-boosting benefits of Diesel Cetane Boost in one convenient package. One ounce treats up to 5 gallons of fuel.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| ADSPCN | EA | (1) 8-oz. Bottle | 5.09 | 6.59 |
| ADSPCN | CA | (6) 8-oz. Bottles | 28.75 | 39.40 |
| ADSCN | EA | (1) 16-oz. Bottle | 12.49 | 16.09 |
| ADSCN | CA | (12) 16-oz. Bottles | 141.30 | 191.40 |
| ADSHG | EA | (1) 64-oz. Bottle | 42.09 | 53.29 |
| ADSHG | CA | (6) 64-oz. Bottles | 239.40 | 318.10 |



Diesel Injector Clean¹⁹

Targets traditional nozzle deposits, combustion chamber deposits and internal diesel injector deposits found in HPCR injectors. Lubricates to reduce fuel pump and injector wear. Concentrated for rapid results, maximum horsepower and up to 8 percent increased fuel economy in engines with accumulated deposits. One ounce treats up to 5 gallons of fuel.

| STOCK# ADFPCN ADFPCN ADFCN ADFCN ADFHG ADFHG | UNITS EA CA EA CA EA CA EA | PKG./SIZE (1) 8-oz. Bottle (6) 8-oz. Bottles (1) 16-oz. Bottle (12) 16-oz. Bottles (1) 64-oz. Bottle (6) 64-oz. Bottles | P.C. PRICE 4.79 26.90 8.29 93.70 28.39 160.95 | FULL PRICE 6.39 37.75 10.89 128.90 36.49 217.30 |
|--|----------------------------|---|---|---|
| ADFHG | CA | (6) 64-oz. Bottles | 160.95 | 217.30 |
| | | | | |

^{38,21,19} See page 51 for Proposition 65 information for this product.



ΔPF

Chain Lube

Provides outstanding protection against wear and corrosion. Helps extend chain life. Does not attract dirt and does not fling off. Fast-drying.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-------------------------|------------|------------|
| ACL4SC | EA | (1) 4.5-oz. Spray Can | 6.29 | 8.19 |
| ACL4SC | CA | (12) 4.5-oz. Spray Cans | 71.35 | 96.20 |
| ACLSC | EA | (1) 11-oz. Spray Can | 11.89 | 15.29 |
| ACLSC | CA | (6) 11-oz. Spray Cans | 67.30 | 91.20 |



FOG

Engine Fogging Oil

Helps prevent corrosion and dry starts to internal engine components found in outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATVs, motor homes and generators during storage or long periods of inactivity.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-------------------------|------------|------------|
| FOGSC | EA | (1) 12-oz. Aerosol Can | 9.69 | 12.29 |
| FOGSC | CA | (6) 12-oz. Aerosol Cans | 54.85 | 72.85 |

Power Foam®

Improves starting and performance by cleaning dirty intake systems and spark plugs, freeing sticky valves and removing gum, varnish and carbon deposits.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| APFSC | EA | (1) 18-oz. Spray Can | 9.79 | 12.69 |
| APFSC | CA | (12) 18-oz. Spray Cans | 111.45 | 150.70 |



Heavy-Duty Degreaser

Formulated with powerful and fast-acting solvents. attacking petroleum-based grime on a molecular level to loosen its hold on metal, concrete and other surfaces.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| ADGSC | EA | (1) 15-oz. Spray Can | 12.69 | 16.09 |
| ADGSC | CA | (12) 15-oz. Spray Cans | 144.35 | 191.45 |



AED

AMS

AMSOIL

Silicone Spray²⁶

Perfect for lubricating or protecting rubber, nylon, plastics, upholstery, vinyl, wood, cardboard or fiberglass. Also excellent for waterproofing leather products. Hundreds of household uses.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| ALSSP | EA | (1) 10-oz. Spray Can | 9.19 | 11.69 |
| ALSSP | CA | (12) 10-oz. Spray Cans | 104.00 | 138.45 |

Mudslinger®

Provides a protective layer of armor against the accumulation of mud, dirt and snow on ATVs, UTVs and dirt bikes, easing clean-up.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AMSSC | EA | (1) 12-oz. Spray Can | 9.89 | 12.59 |
| AMSSC | CA | (12) 12-oz. Spray Cans | 111.50 | 149.45 |





Mudslinger makes an old machine look new again.

Engine Degreaser

Effectively cleans engine surfaces by cutting through grease, oil and grime, making engines look new again.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------------|------------|------------|
| AEDSC | EA | (1) 15-oz. Spray Can | 8.19 | 10.49 |
| AEDSC | CA | (12) 15-oz Spray Cans | 92 75 | 124.10 |



Cuts through grease and grime faster than other leading glass cleaners, stays where you spray it and leaves no streaks.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AGCSC | EA | (1) 19-oz. Spray Can | 4.69 | 5.89 |
| AGCSC | CA | (12) 19-oz. Spray Cans | 52.40 | 69.10 |

²⁶See page 51 for Proposition 65 information for this product.



FLPSC





Synthetic Firearm Lubricant and Protectant

Effectively lubricates and protects firearms, helping extend life and prevent blockage, jams and wear. Outstanding protection and performance in both hot and cold climates. Specifically formulated for firearms, offering superior performance over multi-purpose products.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------------|------------|------------|
| FLPBA | EA | (1) 4-oz. Bottle | 8.99 | 12.09 |
| FLPBA | CA | (12) 4-oz. Bottles | 101.75 | 142.45 |
| FLPSC | EA | (1) 5-oz. Spray Can | 11.09 | 13.69 |
| FLPSC | CA | (12) 5-oz. Spray Cans | 125.55 | 162.70 |

FCPCN





Firearm Cleaner and Protectant

Penetrates deep into hard-to-reach components, effectively cleaning fouling and powder residue from all firearm surfaces, safely protecting them for storage, reducing jamming and increasing reliability. Protects against corrosion, allowing for safe storage and preserving performance, reliability and value.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------------------|------------|------------|
| FCPSC | EA | (1) 5-oz. Spray Can | 7.59 | 10.19 |
| FCPSC | CA | (12) 5-oz. Spray Cans | 86.35 | 120.70 |
| FCPCN | EA | (1) 8-oz. Bottle | 10.19 | 13.59 |
| FCPCN | CA | (12) 8-oz. Bottles | 114.95 | 161.70 |

"It's a great product to keep your firearms/ shotguns in great working order & protect from our harsh weather elements.'

Steve Pratts Fork, Ohio





PSAF

RDCB



Displaces water, penetrates, lubricates and protects metal surfaces from corrosion, including hinges, squeaky mechanical objects, electrical systems and more.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|--------------------------|------------|------------|
| AMP4SC | EA | (1) 4-oz. Spray Can | 6.29 | 7 99 |
| AMP4SC | CA | (12) 4-oz. Spray Cans | 71.15 | 93.70 |
| AMPSC | EA | (1) 8.75-oz. Spray Can | 8.19 | 10.39 |
| AMPSC | CA | (12) 8.75-oz. Spray Cans | 92.75 | 122.75 |

Heavy-Duty Metal Protector¹³

Penetrates and adheres to metal surfaces, leaving a long-lasting coating that protects against the damaging effects of salt, moisture or chemical corrosion.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AMHSC | EA | (1) 15-oz. Spray Can | 11.69 | 15.89 |
| AMHSC | CA | (12) 15-oz. Spray Cans | 132.65 | 189.05 |

Engine and Transmission Flush

Helps restore operating efficiency, increase fuel economy and reduce emissions in gasoline and diesel engines and automatic transmissions.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| FLSHCN | EA | (1) 16-oz. Bottle | 11.29 | 14.69 |
| FLSHCN | CA | (12) 16-oz. Bottles | 128.05 | 173.85 |

DOMINATOR® Coolant Boost

Helps reduce engine temperatures, increase horsepower, promote faster engine warm-up times and reduce radiator and engine corrosion in racing and passenger vehicles.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-------------------|------------|------------|
| RDCBCN | EA | (1) 16-oz. Bottle | 11.49 | 14.79 |
| RDCRCN | CA | (6) 16-oz Bottles | 65.00 | 87 75 |

Powersports Antifreeze & Coolant¹⁵

Advanced design helps control operating temperature in hot-running, high-revving powersports applications. Extended-life formula provides all-season protection for up to five years.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| PSAFQT | EA | 1 Quart | 7.59 | 10.29 |
| PSAFQT | CA | 12 Quarts | 85.50 | 120.75 |

^{13, 15} See page 51 for Proposition 65 information for this product.



Propylene Glycol Antifreeze & Coolant

Combines the benefits of biodegradability, low toxicity and all-climate protection for up to 150,000 miles or 5 years, whichever comes first, in passenger cars and light trucks. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first, in heavy-duty applications. Concentrated formula.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| ANT1G | EA | 1 Gallon | 44.99 | 59.59 |
| ANT1G | CA | 4 Gallons | 170.50 | 236.65 |

Passenger Car/Light Truck Antifreeze & Coolant²⁹

Engineered to exceed original equipment manufacturer (OEM) requirements for up to 150,000 miles or 5 years. whichever comes first, in passenger cars and light trucks. Pre-mixed formula.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| ANTPC1G | EA | 1 Gallon | 19.29 | 28.29 |
| ANTPC1G | CA | 4 Gallons | 73.05 | 111.45 |



AMSOIL Resists Corrosion

In third-party, industry-standard testing, cast-iron and copper plates protected by AMSOIL showed virtually no signs of corrosion.HH









AMSOIL Resists Cavitation

In third-party, industry-standard testing, cylinder liners protected by AMSOIL showed virtually no signs of cavitation."

Based on results of the ASTM D7583 cavitation test.



Heavy-Duty Antifreeze & Coolant²⁹

Provides superior heat transfer and excellent protection against corrosion, cylinder-liner cavitation, freezing and boilover. Protection up to 1,000,000 miles, 20,000 hours or 8 years, whichever comes first. Pre-mixed formula.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|---------|-------|-----------|------------|------------|
| ANTHD1G | EA | 1 Gallon | 20.59 | 29.79 |
| ANTHD1G | CA | 4 Gallons | 77.90 | 117.65 |

To test freeze protection and additive concentration, order antifreeze test strips:

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|-----------|------------|------------|
| G1164 | EA | 70 Strips | 12.60 | 13.90 |
| G1165 | EA | 6 Strips | 4.75 | 5.20 |

²⁹See page 51 for Proposition 65 information for this product.



DOT 3 & 4 Synthetic Brake Fluid³³

High-performance brake fluid specially designed as a multi-use product for passenger-car, light-truck and powersports applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| BFLVCN | EA | (1) 12-oz. Bottle | 6.69 | 8.69 |
| BFLVCN | CA | (12) 12-oz. Bottles | 75.95 | 102.60 |



DOMINATOR DOT 4 Synthetic Racing Brake Fluid¹⁰

High boiling point brake fluid engineered to resist brake fade and vapor lock during intense racing applications.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| BFRCN | EA | (1) 12-oz. Bottle | 12.49 | 17.29 |
| BFRCN | CA | (12) 12-oz. Bottles | 141.25 | 206.50 |



BPC

Brake and Parts Cleaner³²

Professional-strength parts cleaner that guickly removes oil, grease, brake fluid and other contaminants from brake parts and other automotive components.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| BPCSC | EA | (1) 19-oz. Spray Can | 6.09 | 7.99 |
| BPCSC | CA | (12) 19-oz. Spray Cans | 68.35 | 94.20 |



PSF

Multi-Vehicle Synthetic Power Steering Fluid¹³

Provides excellent wear protection, long component life and guiet operation in most passenger cars and light trucks.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|---------------------|------------|------------|
| PSFCN | EA | (1) 16-oz. Bottle | 8.39 | 10.89 |
| PSFCN | CA | (12) 16-oz. Bottles | 94.70 | 130.00 |



Aids in the removal of power steering fluid, motor oil, drivetrain lubricants and engine coolant. Can also be used to install fresh lubricants in hard-to-reach areas.

^{32, 13} See page 51 for Proposition 65 information for this product.



Miracle Wash® Waterless Wash & Wax

Unique dry car wash and polish delivers outstanding performance and quick, easy and economical application. No water required.

| STOCK# | UNITS | PKG./SIZE | P.C. PRICE | FULL PRICE |
|--------|-------|------------------------|------------|------------|
| AMWSC | EA | (1) 13-oz. Spray Can | 10.29 | 12.99 |
| AMWSC | CA | (12) 13-oz. Spray Cans | 116.20 | 154.05 |

Aftermarket Partners

AMSOIL also offers premium filtration products from its aftermarket partners, including Donaldson, WIX and MANN FILTER.

For product and pricing information, call 1-800-777-7094 (Monday - Friday, 7 a.m. -7 p.m. Central Time) or contact the AMSOIL Dealer listed on the back of your catalog (if one is listed).







The Company of FIRSTS

More than 45 Years of Innovation and Leadership

FIRST API-qualified 100 percent synthetic motor oil.

FIRST to introduce the concept of "extended drain intervals" with a recommended 25,000-mile/12-month drain interval.

FIRST synthetic gear lube for automotive use.

FIRST synthetic motor oil for diesel engines.

FIRST synthetic motor oil for racing engines.

FIRST synthetic motor oil for turbocharged engines.

FIRST synthetic motor oil for marine engines.

FIRST 100:1 pre-mix synthetic 2-cycle oil.

FIRST synthetic automatic transmission fluid for automotive use.



CALIFORNIA PROPOSITION 65

^WARNING STATEMENTS**^**

- **MARNING: This product can expose you to 2,2'-Iminodiethanol, which is known to the State of California to cause cancer, and Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- ¹³ WARNING: This product can expose you to Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 15 WARNING: This product can expose you to Ethanediol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 17 WARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- **WARNING: This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- ¹⁹ WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer, and Methanol which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings. ca.gov.
- 21 WARNING: This product can expose you to Naphthalene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 23 WARNING: This product can expose you to Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 26 WARNING: This product can expose you to n-Hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 27 WARNING: This product can expose you to Di(2-ethylnexyl)phthalate (DEHP), which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings. ca.gov.

- ²⁸ WARNING: This product can expose you to Ethylbenzene, which is known to the State of California to cause cancer, and Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 29 WARNING: This product can expose you to Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 31 WARNING: This product can expose you to Benzene and Lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 32 WARNING: This product can expose you to Tetrachloroethylene, which is known to the State of California to cause Cancer. For more information go to www.P65Warnings.ca.gov.
- 33AWARNING: This product can expose you to Diethanolamine, which is known to the State of California to cause cancer, and 2-Methoxyethanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- 35 WARNING: This product can expose you to chemicals including Crystalline Quartz Silica, Naphthalene and Ethylbenzene, which are known to the State of California to cause cancer. For more information go to www. P65Warnings.ca.gov.
- 36 WARNING: This product can expose you to chemicals including Crystalline Quartz Silica and Naphthalene, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
- 37 WARNING: This product can expose you to chemicals such as Lead, which is known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
- ³⁸ WARNING: This product can expose you to chemicals such as Naphthalene, which is known to the State of California to cause cancer, and chemicals such as Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



The First in Synthetics®

AMSOIL INC.
One AMSOIL Center
Superior, WI 54880

WE HONOR





(Discover in U.S. only)

Your Servicing AMSOIL Dealer

and make ordering easier. Call toll-free at 1-800-777-7094. Credit card orders only. ▼ Refer to this referral number to save time

Referral #